

data sheet

# AE100.S4-14ALU

# ALBICOCCA EASY CON SCALA PIOLI H140 ALLUMINIO



**Dimensions** 



Safety



Impact



Falling height HIC



Physical footprint



Number of users

969 x 702 cm

23 mq

140 cm

620 x 350 x 0 cm

19

### **Characteristics**





Plan





### Age range

Fino a 12 anni

## **Materials**



anodised

Made of EN EV6060 anodized alumium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm

# inclusives

### **Manufacturer**

Pozza 1865 S.R.L.

# **Country of manufacturing**







# Area di Sicurezza / Safety Area 43mq Area di Impatto / Impact Area 22.5mq Maximum falling height / Altezza Max di Caduta 1.40m



### **Picture**







## **Components list**



# EQT4-14ALU - Torre quadrata, pedana h 140 cm easy alluminio

NR 1 Torre altezza 140cm Realizzata con nr 4 montanti in alluminio EN EV6060 anodizzato con profilo speciale 90mm x 90mm con spigoli arrotondati raggio 32mm e anime interne di rinforzo spessore minimo 2,7 mm tutta la bulloneria e fissaggi in acciaio inox, 1 pianale dimensione 820mm x 820mm realizzato con profili in acciaio zincato e verniciato e pedana in plastica riciclata al 95% seconda vita spessore 25mm. Tetto realizzato con due falde in polietilene HDPE spessore 20mm e un pannello curvo in polietilene



# EQT5-9 - Easy Square tower h 90 cm with tubular type roof

NR 1 Composed of 4 posts having a 9 x 9 cm section, 1 square platform placed at a height of 90 cm and tubular-type roof made of painted steel.



# C2ALU - Square platform, under tower-1

NR 3 Made of non-slip material



### SVPX-9 - Straight slide h 90 cm

NR 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.



#### SVPX-14 - Scivolo h 140 cm

NR 1 Scivolo h140cm realizzato con scivolata in acciaio inox di larghezza 45cm modello inclusive per garantire l'utilizzo assistito e pannelli laterali in polietilene HDPE composto per il 51% di plastica riciclata pannelli laterali di protezione in polietilene e barra reggispinta di lunghezza 86 cm realizzata in acciaio verniciato. Tutta la bulloneria e gli elementi di fissaggio in acciaio inox



### **EPI-6ALU - Ponte inclinato easy ALU**

NR 1 ponte inclinato realizzato in corda in acciaio rivestito



### EPP-14 - Palo pompieri easy h 140 cm

NR 1 Palo pompieri h140cm realizzato con un tubo di acciaio micropallinato e una struttura portante con tubo curvo di acciaio zincato verniciato. Tutta la bulloneria e gli elementi di fissaggio in acciaio inox



#### **EPR - Parapetto EASY**

NR 2 Parapetto realizzato con tubi di acciaio zincato verniciato. Lunghezza 66cm. Tutta la bulloneria in acciaio inox



### **EP-7 - Protection lateral panel EASY**

NR 2 Made of polyethylene provided with stainless steel brackets for fixing them to the tower.



#### EU0600-T - Game panel tris EASY

NR 1 Two colored polyethylene panel with serigraphy XOX symbols, 9 half-moon rolling panels, Inox steel bolts.





### **EBV-6 - Shop panels EASY**

NR 1 Vertical panel made of polyethylene and wood shelf.



# EPO - Protection lateral panels with polycarbonate portholes EASY

NR 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower



### **BR66 - Pushresistant Easy rod**

NR 1 Pushresistant Easy rod made of stainless steel