

+AF702FRE19_L_ALU ANDROMEDA - LEAVES



Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
17,2 x 18,6 m	104.5 mq	190 cm	14,2 x 15,6 x 4,1 m	50	

Characteristics	hdpe	stainless steel screws	use under surveillance


Age range	Materials	Made of EN EV6060 anodized aluminium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm
Da 3 a 12 anni	anodised aluminium	

Plan

Picture

Manufacturer
Pozza 1865 S.R.L.

Country of manufacturing



Area di sicurezza totale / Total safety area: 198mq
Altezza Max di Caduta / Max falling height: 1,90m

Components list



**xABACOU0600-N_L_ALU - NG
Numbers Panel Leaves**
N. 1 .



**xBV-3.1_L_ALU - NG Globe Panel
Leaves**
N. 1 .



**xBV-4_L_ALU - NG Helicopter Activity
Panel Leaves**
N. 1 Made of colored polyethylene,
sandwich type, with flow lanes, rotating
disk and central knob



xC3_ALU - NG Esagonal platform
NR 1 Made of non-slip material



**xCTBR0012_ALU - NG Fantasy
holding bar**
NR 3 Fantasy steel holding bar L.860



**xHT6-4_ALU - NG Hexagonal tower
less roof**
NR 1 made of 6 aluminum beams, 1
hexagonal platform and mounted at 40 cm
height



**xHT7-14.SPD-1_ALU - NG Hexagonal
Tower h140 with decorative panels**
NR 1 .



**xLP-20_ALU - NG Large Leaf
Accessory**
N. 2 Leaves panel



xLP-5_ALU - NG Small Leaf Accessory
N. 7 Leaves panel



xP-7_L_ALU - NG Green Simple Panel
N. 5 Panel made of HDPE polyethylene,
bi-color 86cm in width with drawing on
the outer layer. all the fixing elements in
Stainless steel



xPAL-01_ALU - NG Angular Gym
N. 1 Vertical net with frame made of
lamellar wood beams fixed through
disappearing and passing nuts and bolts
Bars realized with stainless steel tubular
pegs, mounted into two lateral wooden
supports Climbing cord



xPAL-01C_ALU - NG Net gym
NR 1 Vertical net with frame made of
painted steel supporting a climbing net
made of steel rope with nylon cover



xPAL-02_ALU - NG Linear Gym-2
NR 1 Vertical net with frame made of
lamellar wood beams fixed through
disappearing and passing nuts and bolts
Bars realized with stainless steel tubular
pegs, mounted into two lateral wooden
supports Climbing cord



xPI-5_ALU - NG Inclined mobile bridge
NR 1 Made of impregnated wood, with
laminated wood beams oscillating
hanging on to the handrail with steel
ropes coated



xPI-6_ALU - NG Tibetan bridge

NR 1 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.




xPI-7_ALU - NG Inclined rope bridge

NR 1 Inclinet rope bridge made of a curved painted steel supporting beam with three covered steel ropes



xPP-14_ALU - NG Fireman pole h 140 cm

NR 1 Made of tubular stainless steel



xPR_ALU - NG Fantasy Railing

NR 2 Fantasy railing in painted steel



xQ-14_ALU - NG Square tower h140 cm without roof

NR 1 Composed of 4 posts having a diameter of 10cm of galvanized steel, 1 square platform placed at a height of 140 cm



xQT12-9_ALU - NG Square tower h90 cm

N. 2 .



xQT4-14_L_ALU - NG Tower h140 with Roof Leaves

N. 1 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof.



xS4-9_ALU - NG Steel ladder h90 cm

NR 2 rungs made of stainless steel. Complete with steel bar



xSCL1-9_ALU - NG Free-climbing inclined ramp h 90 cm

NR 1 H90 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainless steel



xSCL1D-14_ALU - NG VERTICAL CLIMBING BOARD

NR 1 VERTICAL CLIMBING BOARD



xSTI-9_ALU - NG Descending tube slide h90 cm

NR 1 Made of steel pipe



xSVPX-14_L_ALU - NG Poly-Inox Slide h140 Leaves

N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



xSVPX-9_L_ALU - NG Poly-Inox Slide h90 Leaves

N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.