data sheet

+AF102SSU.PAL-05_ALU

ANTARES CON PALESTRA SOSPESA - FANTASY



Dimensions

Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
46,3 x 17,9 m	49 mq	240 cm	42,8 x 14 x 4,2 m	45

Characteristics

2 hdpe

stainless steel screws

use under surveillance

Age range

Da 3 a 12 anni

Materials

anodised aluminium

Made of EN EV6060 anodized alumium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm

inclusive

Plan



Picture



Manufacturer

Pozza 1865 S.R.L.

Country of manufacturing

ITALY

Components list



x0820_ALU - NG Airplane Panel Fantasy
N. 1 .



xABACOU0600.O_ALU - NG Optical Panel Fantasy
N. 1 .



xABACOU0600-N_ALU - NG Panel with numbers-1 Fantasy
N. 1 Made of colored polyethylene, sandwich type, with central rotating disk.



xABACOU0600-S_ALU - NG Mirror MAGIC Panel Fantasy
N. 2 Made of polyethylene, with mirror made polished stainless steel.



xBV-3.1_ALU - NG Globe Panel
NR 1 .



xBV-3_ALU - NG Galaxy panel Fantasy
N. 1 Vertical panel made of polyethylene



xBV-4_ALU - NG Activity panel Fantasy
N. 1 Made of colored polyethylene, sandwich type, with flow lanes, rotating disk and central knob



xBV-7.1_ALU - NG Musical Panel Fantasy
N. 1 Polyethilene music panel with Steel tubes and a rubber hammer to play music on



xC2_ALU - NG Square platform, under tower
N. 1 Made of non slip material.



xC3_ALU - NG Esagonal platform
NR 2 Made of non-slip material

xCTBR0012_ALU - NG Fantasy holding bar
N. 4 Fantasy steel holding bar L.860



xCTSS0051_ALU - NG Stainless Steel Spacer
NR 2 Stainless Steel Spacer

xG_90X90_00-60_ALU - NG Leg 90x90 from 00 60
N. 9 .

xG_90X90_90-190_ALU - NG Leg 90x90 from 90 190
N. 8 .



xGT-06_ALU - NG Step Flower
N. 5 Polyethilene flower supported by a galvanized steel bean



xHT5-19_ALU - NG Esagonal tower h 190 cm with roof Fantasy
N. 1 Composed of 6 posts having a 9 x 9 cm section by lamellar wood, 1 esagonal platform placed at a height of 190 cm. Coloured gable roof



xHT5-24_ALU - NG Esagonal tower h 240 cm with roof Fantasy
N. 1 Composed of 6 posts by alluminium, 1 esagonal platform placed at a height of 240 cm, 1 roof.



xP-13.1_ALU - NG Large Fantasy Babel Panel Lime
NR 4 .



xP-13_ALU - NG Large Fantasy Babel Panel Turquoise
NR 4 .



xP-2_ALU - NG Protection lateral panels with polycarbonate portholes Fantasy
N. 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



xP-7.1_ALU - NG Simple Turquoise Panel
N. 2 .



xPAL-05_ALU - NG Gym suspended
N. 1 With handhold along tubes steel. Wall stainless steel bars.



xPAL-05B_ALU - NG Ground gym baby
N. 2 GROUND GYM BABY



xPAL-08b_ALU - NG Baby Vertical Rope Ladder
N. 1 .



xPAL-12_ALU - NG Single Vertical Wall Bars
N. 3 .



xPD-5_ALU - NG Right mobile bridge
N. 1 Mobile bridge made of a painted steel frame with HDPE moving flowers as base and a rubber floor for safety



xPI-10_ALU - NG Fixed inclined bridge Fantasy
N. 1 Walkway made of aluminium, with steel parapets.



xPI-6_ALU - NG Tibetan bridge
N. 3 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



xPR_ALU - NG Fantasy Railing
N. 1 Fantasy railing in painted steel



xPS-SM_ALU - NG Spiral Climbing Pole without handles
NR 1 .



xQT12-9_ALU - NG Square tower h90 cm
N. 1 .



xQT4-14_ALU - NG Square tower h140 cm Fantasy
N. 1 Composed of 4 posts having a 9 x 9 mm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof



xQT4-9_ALU - NG Square tower h 90cm style Fantasy
N. 1 Composed by 4 posts having a 10 cm diameter by anodized steel, 1 square platform placed at a height of 90 cm. Coloured polyethylene gable roof



xRH-1_ALU - NG Access ramp suitable for disabled people
N. 4 Made of alluminium.



xSCL1-14_ALU - NG Free-climbing inclined ramp h. 140
N. 1 H140 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainelss steel



xSCL2-9_ALU - NG Climbing Platform h90 cm
N. 1 .



xSVPXH-6.1_ALU - NG Poly-Inox Slide h60 for hexagonal/triangular tower Fantasy
N. 1 Inclusive Slide made of polyethilene and stainless steel



xSVPXH-9_ALU - NG Poly-Inox Slide h90 (inclusive) Fantasy
N. 1 Slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.



xSW-E-24_ALU - NG Tube Slide h240 (spiral)
NR 1 .

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica

Copyright (C) POZZA 1865 S.r.l. - P.IVA IT02311670224 - info@pozza.it