

+AF102SSU.S10_ALU ANTARES CON SCALA CURVA - FANTASY




Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
21,4 x 15,5 m	88 mq	190 cm	17,8 x 12 x 4,5 m	40	

Characteristics	hdpe	stainless steel screws	use under surveillance

Age range	Materials	Made of EN EV6060 anodized aluminium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm
Da 3 a 12 anni	anodised aluminium	



Plan



Picture



Manufacturer
Pozza 1865 S.R.L.

Country of manufacturing
ITALY

Area di sicurezza totale / Total safety area: 179mq
Altezza Max di Caduta / Max falling height: 1,90m

Components list



xABACOU0600.O_ALU - NG OPTICAL PANEL
NR 2 OPTICAL EASY PANEL MADE OF POLYTHILENE



xABACOU0600-N_ALU - NG Panel with numbers-1
NR 2 Made of colored polyethylene, sandwich type, with central rotating disk.



xABACOU0600-S_ALU - NG Mirror MAGIC Panel
NR 1 Made of polyethylene, with mirror made polished stainless steel.



xBV-10_ALU - NG Braille Panel
N. 1 .



xBV-2_ALU - NG Gear panel
NR 1 Vertical panel made of polyethylene and wood shelf.



xBV-3.1_ALU - NG Globe Panel
NR 1 .



xBV-3_ALU - NG Galaxy panel
NR 1 Vertical panel made of polyethylene



xC24_ALU - NG Balcony
NR 1 Made of painted steel, provided with stainless steel brackets for fixing them to the tower.



xC3_ALU - NG Esagonal platform
NR 2 Made of non-slip material



xEPAL-01_ALU - NG Net Gym Kit
N. 1 .



xHT5-19_ALU - NG Esagonal tower h 190 cm with roof
NR 2 Composed of 6 posts having a 9 x 9 cm section by lamellar wood, 1 esagonal platform placed at a height of 190 cm. Coloured gable roof




xHT6-14_ALU - NG Hexagonal tower less roof-4
NR 1 made of 6 aluminum beams, 1 hexagoal platform and mounted at 140 cm height



xHT6-4_ALU - NG Hexagonal tower less roof
NR 2 made of 6 aluminum beams, 1 hexagoal platform and mounted at 40 cm height



xHT6-9_ALU - NG Hexagonal tower less roof-3
NR 1 made of 6 aluminum beams, 1 hexagoal platform and mounted at 90 cm height



xP-2_ALU - NG Protection lateral panels with polycarbonate portholes
NR 5 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



xP-3C_ALU - NG Panels inside-out
NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



xP-3Q_ALU - NG Panels inside-out-1
NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



xP-3T_ALU - NG Panels inside-out-2
NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower




xP-7.1_ALU - NG Simple Turquoise Panel
NR 2 .



xP-7_ALU - NG Simple Lime Panel
NR 2 Panel made of HDPE polyethylene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel




xPAL-01_ALU - NG Angular Gym
N. 1 Vertical net with frame made of lamellar wood beams fixed through disappearing and passing nuts and bolts Bars realized with stainless steel tubular pegs, mounted into two lateral wooden supports Climbing cord



xPD-10_ALU - NG Fixed right bridge
NR 1 Walkway made of impregnated wood, with polyethylene parapets



xPD-5_ALU - NG Right mobile bridge
N. 1 Mobile bridge made of a painted steel frame with HDPE moving flowers as base and a rubber floor for safety



xPI-10_ALU - NG Fixed inclined bridge Fantasy
NR 2 Walkway made of impregnated wood, with polyethylene parapets



xPI-6_ALU - NG Tibetan bridge
NR 1 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



xPR_ALU - NG Fantasy Railing
NR 2 Fantasy railing in painted steel




xRH-1_ALU - NG Access ramp suitable for disabled people
NR 4 Made of impregnated lamellar wood.



xS10-14_ALU - NG Steel stepladder h140 cm
NR 1 Composed by painted steel



xS-19_ALU - NG Climbing ladder h190 cm
NR 2 made of impregnated wood, complete with handrails and protective panels made of polyethylene



xS2-4_ALU - NG Accessible Climbing Platform h40 cm

NR 1 .



xS4-9_ALU - NG Steel ladder h90 cm

NR 2 rungs made of stainless steel.

Complete with steel bar



xSTI-14_ALU - NG Descending tube slide h 140 cm

NR 1 Stainless steel slide made of tubular type



xSVPXH-9_ALU - NG Poly-Inox Slide h90 (inclusive)

NR 1 .



xSW-19_ALU - NG Tube-shaped slide h 190 cm diameter 80 cm

NR 1 Polyethylene slide certified according to the existing rules; starting platform height 190 cm