data sheet

+AF102SSU.S10_ALU
ANTARES CON SCALA CURVA - FANTASY



Dimensions

Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
21,4 x 15,5 m	88 mq	190 cm	17,8 x 12 x 4,5 m	40

Characteristics

2 hdpe

stainless steel screws

use under surveillance

Age range

Da 3 a 12 anni

Materials

anodised aluminium

Made of EN EV6060 anodized alumium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm

inclusive

Plan



Picture



Manufacturer

Pozza 1865 S.R.L.

Country of manufacturing

ITALY

Components list



xABACOU0600.O_ALU - NG Optical Panel Fantasy
N. 2 .



xABACOU0600-N_ALU - NG Panel with numbers-1 Fantasy
N. 2 Made of colored polyethylene, sandwich type, with central rotating disk.



xABACOU0600-S_ALU - NG Mirror MAGIC Panel Fantasy
N. 1 Made of polyethylene, with mirror made polished stainless steel.



xBV-10_ALU - NG Braille Panel
N. 1 .



xBV-2_ALU - NG Gear panel Fantasy
N. 1 Vertical panel made of polyethylene and wood shelf.



xBV-3.1_ALU - NG Globe Panel
NR 1 .



xBV-3_ALU - NG Galaxy panel Fantasy
N. 1 Vertical panel made of polyethylene



xC24_ALU - NG Balcony Fantasy
N. 1 Made of painted steel, provided with stainless steel brackets for fixing them to the tower.



xC3_ALU - NG Esagonal platform
NR 2 Made of non-slip material



xEPAL-01_ALU - NG Net Gym Kit
N. 1 .



xHT5-19_ALU - NG Esagonal tower h 190 cm with roof Fantasy
N. 2 Composed of 6 posts having a 9 x 9 cm section by lamellar wood, 1 esagonal platform placed at a height of 190 cm. Coloured gable roof



xHT6-14_ALU - NG Hexagonal tower less roof-4
N. 1 made of 6 aluminum beams, 1 hexagoal platform and mounted at 140 cm height



xHT6-4_ALU - NG Hexagonal tower less roof
N. 2 made of 6 aluminum beams, 1 hexagoal platform and mounted at 40 cm height



xHT6-9_ALU - NG Hexagonal tower less roof-3
N. 1 made of 6 aluminum beams, 1 hexagoal platform and mounted at 90 cm height



xP-2_ALU - NG Protection lateral panels with polycarbonate portholes Fantasy
N. 5 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



xP-3C_ALU - NG Panels inside-out
N. 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



xP-3Q_ALU - NG Panels inside-out-1 Fantasy
N. 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



xP-3T_ALU - NG Panels inside-out-2 Fantasy
N. 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



xP-7.1_ALU - NG Simple Turquoise Panel
N. 2 .



xP-7_ALU - NG Simple Lime Panel
N. 2 Panel made of HDPE polyethilene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xPAL-01_ALU - NG Angular Gym
N. 1 Vertical net with frame made of lamellar wood beams fixed through disappearing and passing nuts and bolts Bars realized with stainless steel tubular pegs, mounted into two lateral wooden supports Climbing cord



xPD-10_ALU - NG Fixed right bridge Fantasy
N. 1 Walkway made of aluminium, with polyethylene parapets



xPD-5_ALU - NG Right mobile bridge
N. 1 Mobile bridge made of a painted steel frame with HDPE moving flowers as base and a rubber floor for safety



xPI-10_ALU - NG Fixed inclined bridge Fantasy
N. 2 Walkway made of aluminium, with steel parapets.



xPI-6_ALU - NG Tibetan bridge
N. 1 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



xPR_ALU - NG Fantasy Railing
N. 2 Fantasy railing in painted steel



xRH-1_ALU - NG Access ramp suitable for disabled people
N. 4 Made of alluminium.



xS10-14_ALU - NG Steel stepladder h140 cm
N. 1 Composed by painted steel



xS-19_ALU - NG Climbing ladder h190 cm Fantasy
N. 2 STAIR MADE OF ALUMINUM H190



xS2-4_ALU - NG Accessible Climbing Platform h40 cm
NR 1 .



xS4-9_ALU - NG Steel ladder h90 cm
N. 2 rungs made of stainless steel. Complete with steel bar



xSTI-14_ALU - NG Descending tube slide h 140 cm
N. 1 Stainless steel slide made of tubular type



xSVPXH-9_ALU - NG Poly-Inox Slide h90 (inclusive) Fantasy
N. 1 Slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.



xSW-19_ALU - NG Tube-shaped slide h 190 cm diameter 80 cm Fantasy
N. 1 Polyethylene slide certified according to the existing rules; starting platform height 190 cm

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica

Copyright (C) POZZA 1865 S.r.l. - P.IVA IT02311670224 - info@pozza.it