

+AF102SSU.S10\_ALU

## ANTARES CON SCALA CURVA - FANTASY



Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
21,4 x 15,5 cm	70 mq	190 cm	17,8 x 12 x 4,5 cm	40	

### Characteristics


#### Age range

3-12

#### Materials



#### Plan



#### Picture



#### Manufacturer

Pozza 1865 S.R.L.

#### Country of manufacturing

ITALY



Area di sicurezza totale / Total safety area: 179mq  
Altezza Max di Caduta / Max falling height: 1.90m

## Components list



**xABACOU0600.O\_ALU - NG OPTICAL PANEL**  
NR 2 OPTICAL EASY PANEL MADE OF POLYTHILENE



**xABACOU0600-N\_ALU - NG Panel with numbers-1**  
NR 2 Made of colored polyethylene, sandwich type, with central rotating disk.



**xABACOU0600-S\_ALU - NG Mirror MAGIC Panel**  
NR 1 Made of polyethylene, with mirror made polished stainless steel.



**xBV-10\_ALU - NG Braille Panel**  
NR 1 .



**xBV-2\_ALU - NG Gear panel**  
NR 1 Vertical panel made of polyethylene and wood shelf.



**xBV-3.1\_ALU - NG Globe Panel**  
NR 1 .



**xBV-3\_ALU - NG Galaxy panel**  
NR 1 Vertical panel made of polyethylene



**xC24\_ALU - NG Balcony**  
NR 1 Made of painted steel, provided with stainless steel brackets for fixing them to the tower.



**xC3\_ALU - NG Esagonal platform**  
NR 2 Made of non-slip material



**xEPAL-01\_ALU - NG Net Gym Kit**  
NR 1 .



**xHT5-19\_ALU - NG Esagonal tower h 190 cm with roof**  
NR 2 Composed of 6 posts having a 9 x 9 cm section by lamellar wood, 1 esagonal platform placed at a height of 190 cm. Coloured gable roof




**xHT6-14\_ALU - NG Hexagonal tower less roof-4**  
NR 1 made of 6 aluminum beams, 1 hexagoal platform and mounted at 140 cm height



**xHT6-4\_ALU - NG Hexagonal tower less roof**  
NR 2 made of 6 aluminum beams, 1 hexagoal platform and mounted at 40 cm height



**xHT6-9\_ALU - NG Hexagonal tower less roof-3**  
NR 1 made of 6 aluminum beams, 1 hexagoal platform and mounted at 90 cm height



**xP-2\_ALU - NG Protection lateral panels with polycarbonate portholes**  
NR 5 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



**xP-3C\_ALU - NG Panels inside-out**

NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower




**xP-3Q\_ALU - NG Panels inside-out-1**

NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



**xP-3T\_ALU - NG Panels inside-out-2**

NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



**xP-7.1\_ALU - NG Simple Turquoise Panel**

NR 2 .




**xP-7\_ALU - NG Simple Lime Panel**

NR 2 Panel made of HDPE polyethylene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



**xPAL-01\_ALU - NG Angular Gym**

NR 1 Vertical net with frame made of lamellar wood beams fixed through disappearing and passing nuts and bolts Bars realized with stainless steel tubular pegs, mounted into two lateral wooden supports Climbing cord



**xPD-10\_ALU - NG Fixed right bridge**

NR 1 Walkway made of impregnated wood, with polyethylene parapets



**xPD-5\_ALU - NG Right mobile bridge**

NR 1 Mobile bridge made of a painted steel frame with HDPE moving flowers as base and a rubber floor for safety



**xPI-10\_ALU - NG Fixed inclined bridge Fantasy**

NR 2 Walkway made of impregnated wood, with polyethylene parapets



**xPI-6\_ALU - NG Tibetan bridge**

NR 1 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



**xPR\_ALU - NG Fantasy Railing**

NR 2 Fantasy railing in painted steel



**xRH-1\_ALU - NG Access ramp suitable for disabled people**

NR 4 Made of impregnated lamellar wood.




**xS10-14\_ALU - NG Steel stepladder h140 cm**

NR 1 Composed by painted steel



**xS-19\_ALU - NG Climbing ladder h190 cm**

NR 2 made of impregnated wood, complete with handrails and protective panels made of polyethylene



**xS2-4\_ALU - NG Accessible Climbing Platform h40 cm**

NR 1 .



**xS4-9\_ALU - NG Steel ladder h90 cm**

NR 2 rungs made of stainless steel.

Complete with steel bar



**xSTI-14\_ALU - NG Descending tube slide h 140 cm**

NR 1 Stainless steel slide made of tubular type



**xSVPXH-9\_ALU - NG Poly-Inox Slide h90 (inclusive)**

NR 1 .



**xSW-19\_ALU - NG Tube-shaped slide h 190 cm diameter 80 cm**

NR 1 Polyethylene slide certified according to the existing rules; starting platform height 190 cm