

**+AE102SSU\_ALU**  
**ANTARES - EASY**



Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
14 x 11,7 cm	65 mq	140 cm	10 x 8,2 x 3,5 cm	25	

**Characteristics**

**Age range**

3-12

**Materials**




**Manufacturer**

Pozza 1865 S.R.L.

**Country of manufacturing**



**Plan**



Area di sicurezza totale / Total safety area: 115.5mq  
Altezza Max di Caduta / Max falling height: 1.90m

**Picture**



## Components list



**xABACOGT-01\_E\_ALU - NG OXO Panel Easy**

NR 1 Two colored polyethylene panel with serigraphy XOX symbols, 9 half-moon rolling panels, Inox steel bolts.



**xBV-10\_E\_ALU - NG Braille Panel Easy**

NR 1 .



**xBV-7\_E\_ALU - NG Shop panels Easy**

NR 2 Vertical panel made of polyethylene and wood shelf.



**xP-2\_E\_ALU - NG Protection lateral panels with polycarbonate portholes Easy**

NR 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



**xP-7.1\_E\_ALU - NG Simple Skyblue Panel**

NR 2 .



**xP-7\_E\_ALU - NG Simple Green Panel**

NR 2 .



**xPAL-01\_ALU - NG Angular Gym**

NR 1 Vertical net with frame made of lamellar wood beams fixed through disappearing and passing nuts and bolts Bars realized with stainless steel tubular pegs, mounted into two lateral wooden supports Climbing cord



**xPAL-04b\_ALU - NG Climbing**

NR 1 Made with stainless steel rugs and recycled material base with resin climbing rocks



**xPI-10\_E\_ALU - NG Fixed inclined bridge Easy**

NR 3 Walkway made of impregnated wood, with polyethylene parapets



**xPI-6\_E\_ALU - NG Tibetan bridge Easy**

NR 2 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



**xPP-14\_E\_ALU - NG Fireman pole h 140 cm Easy**

NR 1 Made of tubular stainless steel



**xPR\_E\_ALU - NG Easy Railing**

NR 2 Fantasy railing in painted steel



**xPS-14\_E\_ALU - NG Spiral perch h 140 cm Easy**

NR 1 Composed by stainless steel tubular, support bracket and locking handles in painted steel



**xQ-4\_E\_ALU - NG Square tower h 40 cm Easy (without roof)**

NR 1 Composed of 4 posts having a 9 x 9 cm section aluminium, 1 square platform placed at a height of 90 cm.



**xQ-9\_E\_ALU - NG Square tower without roof h90 cm Easy**

NR 3 Composed of 4 posts having a 9 x 9 cm section aluminium, 1 square platform placed at a height of 90 cm.



**xQT12-14\_E\_ALU - NG Easy Square tower h140 cm**

NR 1 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 140 cm. Roof made of painted steel tubes.



**xQT12-9\_E\_ALU - NG Easy Square tower h90 cm**

NR 1 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 90 cm. Roof made of painted steel tubes.



**xQT4-14\_E\_ALU - NG Square tower h140 cm Easy**

NR 1 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof.



**xQT4-9\_E\_ALU - NG Square tower h90 cm style Easy**

NR 1 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 90 cm. Coloured polyethylene gable roof.




**xS6-14\_E\_ALU - NG Shroud lift h140 cm Easy**

NR 1 Composed by climbing net in steel rope. Included by thrust bar



**xS-9\_E\_ALU - NG Climbing ladder h90 cm Easy**

NR 1 made of aluminium, complete with handrails and protective panels made of polyethylene.



**xSCL2-4\_ALU - NG Climbing Platform h40 cm**

NR 1 .



**xSTI-14\_E\_ALU - NG Descending tube slide h 140 cm Easy**

NR 1 .



**xSTI-9\_E\_ALU - NG Descending tube slide h90 cm Easy**

NR 1 .



**xSVPX-14\_E\_ALU - NG Straight slide h140 cm Easy**

NR 1 Easy slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



**xSVPX-9\_E\_ALU - NG Straight slide h90 cm Easy**

NR 1 Easy slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.



**xTT-17\_E\_ALU - NG Polyethylene Tunnel Easy**

NR 2 Made of polyethylene provided with panels of connection to polyethylene turrets