

+AE102SSU_ALU
ANTARES - EASY




Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
14 x 11,7 m	65 mq	190 cm	10 x 8,2 x 3,5 m	25	

Characteristics	hdpe	stainless steel screws	use under surveillance

Age range	Materials	Made of EN EV6060 anodized aluminium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm
3-12	anodised aluminium	



Plan



Picture



Manufacturer
Pozza 1865 S.R.L.

Country of manufacturing
ITALY

Area di sicurezza totale / Total safety area: 115.5mq
Altezza Max di Caduta / Max falling height: 1.90m

Components list



xABACOGT-01_E_ALU - NG OXO Panel Easy

NR 1 Two colored polyethylene panel with serigraphy XOX symbols, 9 half-moon rolling panels, Inox steel bolts.



xBV-10_E_ALU - NG Braille Panel Easy

NR 1 .



xBV-7_E_ALU - NG Shop panels Easy

NR 2 Vertical panel made of polyethylene and wood shelf.



xP-2_E_ALU - NG Protection lateral panels with polycarbonate portholes Easy

NR 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



xP-7.1_E_ALU - NG Simple Skyblue Panel

N. 2 .



xP-7_E_ALU - NG Green Panel

NR 2 .



xPAL-01_ALU - NG Angular Gym

N. 1 Vertical net with frame made of lamellar wood beams fixed through disappearing and passing nuts and bolts Bars realized with stainless steel tubular pegs, mounted into two lateral wooden supports Climbing cord



xPAL-04b_ALU - NG Climbing

NR 1 Made with stainless steel rugs and recycled material base with resin climbing rocks



xPI-10_E_ALU - NG Fixed inclined bridge Easy

NR 3 Walkway made of impregnated wood, with polyethylene parapets



xPI-6_E_ALU - NG Tibetan bridge Easy

NR 2 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



xPP-14_E_ALU - NG Fireman pole h 140 cm Easy

NR 1 Made of tubular stainless steel



xPR_E_ALU - NG Easy Railing

NR 2 Fantasy railing in painted steel



xPS-14_E_ALU - NG Spiral perch h 140 cm Easy

NR 1 Composed by stainless steel tubular, support bracket and locking handles in painted steel



xQ-4_E_ALU - NG Square tower h 40 cm Easy (without roof)

NR 1 Composed of 4 posts having a 9 x 9 cm section aluminium, 1 square platform placed at a height of 90 cm.



xQ-9_E_ALU - NG Square tower without roof h90 cm Easy

NR 3 Composed of 4 posts having a 9 x 9 cm section aluminium, 1 square platform placed at a height of 90 cm.



xQT12-14_E_ALU - NG Easy Square tower h140 cm

NR 1 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 140 cm. Roof made of painted steel tubes.



xQT12-9_E_ALU - NG Easy Square tower h90 cm

NR 1 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 90 cm. Roof made of painted steel tubes.



xQT4-14_E_ALU - NG Square tower h140 cm Easy

NR 1 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof.



xQT4-9_E_ALU - NG Square tower h90 cm style Easy

NR 1 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 90 cm. Coloured polyethylene gable roof.




xS6-14_E_ALU - NG Shroud lift h140 cm Easy

NR 1 Composed by climbing net in steel rope. Included by thrust bar



xS-9_E_ALU - NG Climbing ladder h90 cm Easy

NR 1 made of aluminium, complete with handrails and protective panels made of polyethylene.



xSCL2-4_ALU - NG Climbing Platform h40 cm

NR 1 .



xSTI-14_E_ALU - NG Descending tube slide h 140 cm Easy

NR 1 .



xSTI-9_E_ALU - NG Descending tube slide h90 cm Easy

NR 1 .




xSVPX-14_E_ALU - NG Straight slide h140 cm Easy

NR 1 Easy slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



xSVPX-9_E_ALU - NG Straight slide h90 cm Easy

NR 1 Easy slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.



xTT-17_E_ALU - NG Polyethylene Tunnel Easy

NR 2 Made of polyethylene provided with panels of connection to polyethylene turrets