


+AF102SSU.S10_L_ALU ANTARES WITH CURVED STAIRS - LEAVES




Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
18,2 x 15,9 m	88 mq	190 cm	14,7 x 12,9 x 4,5 m	50	

Characteristics	hdpe	stainless steel screws	use under surveillance
			

Age range	Materials	Made of EN EV6060 anodized aluminium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm
From 3 to 12 years	 anodised aluminium	

Plan



Picture




Manufacturer
Pozza 1865 S.R.L.

Country of manufacturing



Area di sicurezza totale / Total safety area: 179mq
Altezza Max di Caduta / Max falling height: 1.90m

Components list



xABACOGT-01_L_ALU - NG Tic-Tac-Toe Panel Leaves

N. 1 Two colored polyethylene panel with serigraphy XOX symbols, 9 half-moon rolling panels, Inox steel bolts.



xABACOU0600-N_L_ALU - NG Numbers Panel Leaves

N. 1 .




xABACOU0600-S_L_ALU - NG Mirror Panel Leaves

N. 1 .



xBV-10_ALU - NG Braille Panel

N. 1 .



xBV-4_L_ALU - NG Helicopter Activity Panel Leaves

N. 1 Made of colored polyethylene, sandwich type, with flow lanes, rotating disk and central knob



xC3_ALU - NG Esagonal platform

NR 2 Made of non-slip material



xEPAL-01_ALU - NG Net Gym Kit

N. 1 .



xHT6-14_ALU - NG Hexagonal tower less roof-4

NR 1 made of 6 aluminum beams, 1 hexagonal platform and mounted at 140 cm height



xHT6-4_ALU - NG Hexagonal tower less roof

NR 2 made of 6 aluminum beams, 1 hexagonal platform and mounted at 40 cm height



xHT6-9_ALU - NG Hexagonal tower less roof-3

NR 1 made of 6 aluminum beams, 1 hexagonal platform and mounted at 90 cm height



xLP-20_ALU - NG Large Leaf Accessory

N. 1 Leaves panel



xLP-5_ALU - NG Small Leaf Accessory

N. 2 Leaves panel



xP-3C_ALU - NG Panels inside-out

NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower




xP-7_L_ALU - NG Green Simple Panel

N. 3 Panel made of HDPE polyethylene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xPAL-01_ALU - NG Angular Gym
N. 1 Vertical net with frame made of lamellar wood beams fixed through disappearing and passing nuts and bolts
Bars realized with stainless steel tubular pegs, mounted into two lateral wooden supports
Climbing cord




xPD-10_L_ALU - NG Basic Straight Bridge Leaves
N. 1 Walkway made of impregnated wood, with polyethylene parapets



xPD-5_ALU - NG Right mobile bridge
N. 1 Mobile bridge made of a painted steel frame with HDPE moving flowers as base and a rubber floor for safety



xPI-6_ALU - NG Tibetan bridge
NR 1 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



xPR_ALU - NG Fantasy Railing
NR 2 Fantasy railing in painted steel



xRH-1_ALU - NG Access ramp suitable for disabled people
NR 3 Made of impregnated lamellar wood.



xS10-14_ALU - NG Steel stepladder h140 cm
NR 1 Composed by painted steel



xS4-9_ALU - NG Steel ladder h90 cm
NR 2 rungs made of stainless steel.
Complete with steel bar



xSTI-14_ALU - NG Descending tube slide h 140 cm
NR 1 Stainless steel slide made of tubular type



xSVPX-9_L_ALU - NG Poly-Inox Slide h90 Leaves
N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.