

+AF102SSU.PAL-05_L_ALU ANTARES WITH GYM - LEAVES



Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
	17,2 x 45,8 m	98 mq	240 cm	13,7 x 42,3 x 5 m	50


Characteristics	hdpe	stainless steel screws	use under surveillance

Age range	Materials	Made of EN EV6060 anodized aluminium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm
From 3 to 12 years		

Plan

Picture


Manufacturer
Pozza 1865 S.R.L.



Country of manufacturing

ITALY

Components list



xABACOGT-01_L_ALU - NG Tic-Tac-Toe Panel Leaves

N. 1 Two colored polyethylene panel with serigraphy XOX symbols, 9 half-moon rolling panels, Inox steel bolts.




xABACOU0600-N_L_ALU - NG Numbers Panel Leaves

N. 1 .




xABACOU0600-S_L_ALU - NG Mirror Panel Leaves

N. 1 .



xBV-3.1_L_ALU - NG Globe Panel Leaves

N. 1 .



xBV-4_L_ALU - NG Helicopter Activity Panel Leaves

N. 1 Made of colored polyethylene, sandwich type, with flow lanes, rotating disk and central knob



xC3_ALU - NG Esagonal platform

NR 2 Made of non-slip material



xG_120_90-190_ALU - NG Leg 120 from 90 190

NR 2 .



xG_90X90_00-60_ALU - NG Leg 90x90 from 00 60

N. 9 .



xGT-06_ALU - NG Step Flower

NR 5 Polyethylene flower supported by a galvanized steel bean



xLP-20_ALU - NG Large Leaf Accessory

N. 1 Leaves panel




xLP-5_ALU - NG Small Leaf Accessory

N. 6 Leaves panel



xP-7_L_ALU - NG Green Simple Panel

N. 1 Panel made of HDPE polyethylene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xPAL-05_ALU - NG Gym suspended

NR 1 With handhold along tubes steel. Wall stainless steel bars.



xPAL-05B_ALU - NG Ground gym baby

N. 1 GROUND GYM BABY



xPAL-08b_ALU - NG Baby Vertical Rope Ladder

NR 1 .

xPAL-12_ALU - NG Single Vertical Wall Bars

NR 3 .



xPD-5_ALU - NG Right mobile bridge

N. 1 Mobile bridge made of a painted steel frame with HDPE moving flowers as base and a rubber floor for safety




xPI-6_ALU - NG Tibetan bridge

NR 3 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



xPR_ALU - NG Fantasy Railing

NR 1 Fantasy railing in painted steel



xQ-9_ALU - NG Square tower without roof h90 cm

N. 1 h90 cm tower without roof made of 4 EN EV6060 anodized aluminium post with custom mold 9x9cm with rounded edges, minimum thickness 2,7mm. Central platform made of HDPE polyethylene with anti slip coating and painted and anodized steel brackets. All the fixing elements made of stainless steel



xQT12-9_ALU - NG Square tower h90 cm

N. 1 .



xQT4-14_L_ALU - NG Tower h140 with Roof Leaves

N. 1 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof.

xRH-1_ALU - NG Access ramp suitable for disabled people

NR 4 Made of impregnated lamellar wood.



xS4-9_ALU - NG Steel ladder h90 cm

NR 2 rungs made of stainless steel. Complete with steel bar



xSCL1-14_ALU - NG Free-climbing inclined ramp h. 140

N. 1 H140 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainless steel



xSCL1-9_ALU - NG Free-climbing inclined ramp h 90 cm

N. 1 H90 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainless steel



xSVPX-9_L_ALU - NG Poly-Inox Slide h90 Leaves

N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.

