

+AF102SSU.SWE-14_ALU

ARIES BABY CON SCIVOLO ELICOIDALE - FANTASY



Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
	14,4 x 7,6 m	55.5 mq	190 cm	11 x 7,6 x 0 m	25

Characteristics	hdpe	stainless steel screws	use under surveillance

Age range	Materials	Made of EN EV6060 anodized aluminium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm
Da 3 a 12 anni	anodised aluminium	




Plan

Picture

Manufacturer
Pozza 1865 S.R.L.

Country of manufacturing
ITALY



Components list




xABACOU0600-N_ALU - NG Panel with numbers-1
NR 1 Made of colored polyethylene, sandwich type, with central rotating disk.



xABACOU0600-S_ALU - NG Mirror MAGIC Panel
NR 1 Made of polyethylene, with mirror made polished stainless steel.



xBV-2_ALU - NG Gear panel
NR 1 Vertical panel made of polyethylene and wood shelf.



xBV-3_ALU - NG Galaxy panel
NR 1 Vertical panel made of polyethylene



xBV-4_ALU - NG Activity panel
NR 1 Made of colored polyethylene, sandwich type, with flow lanes, rotating disk and central knob



xC3_ALU - NG Esagonal platform
NR 1 Made of non-slip material




xHT5-19_ALU - NG Esagonal tower h 190 cm with roof
NR 1 Composed of 6 posts having a 9 x 9 cm section by lamellar wood, 1 esagonal platform placed at a height of 190 cm. Coloured gable roof



xP-2.1 _ALU - NG Porthole Themed Panel
NR 2 .



xP-3T_ALU - NG Panels inside-out-2
NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



xPI-10_ALU - NG Fixed inclined bridge Fantasy
NR 1 Walkway made of impregnated wood, with polyethylene parapets



xPI-6_ALU - NG Tibetan bridge
NR 1 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



xQ-9_ALU - NG Square tower without roof h90 cm
NR 1 h90 cm tower without roof made of 4 EN EV6060 anodized aluminum post with custom mold 9x9cm with rounded edges, minimum thickness 2,7mm. Central platform made of HDPE polyethylene with anti slip coating and painted and anodized steel brackets. All the fixing elements made of stainless steel



xQT4-14_ALU - NG Square tower h140 cm Fantasy
N. 1 Composed of 4 posts having a 9 x 9 mm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof



xRH-1_ALU - NG Access ramp suitable for disabled people
NR 2 Made of impregnated lamellar wood.



xS-19_ALU - NG Climbing ladder h190 cm
NR 1 made of impregnated wood, complete with handrails and protective panels made of polyethylene



xS6-9_ALU - NG Shroud lift h90 cm
NR 1 Composed by climbing net in steel rope. Included by thrust bar



xSCL1-14_ALU - NG Free-climbing inclined ramp h. 140
NR 1 H140 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainless steel



xSVPX-14_ALU - NG Straight slide h140 cm Fantasy
NR 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



xSVPX-9_ALU - NG Straight slide h90 cm Fantasy
NR 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.



xSW-19_ALU - NG Tube-shaped slide h 190 cm diameter 80 cm
NR 1 Polyethylene slide certified according to the existing rules; starting platform height 190 cm



xSW-E-19_ALU - NG Tube Slide h190 (spiral)
NR 1 .