

+AF102SSU.SWE-14\_ALU

## ARIES BABY CON SCIVOLO ELICOIDALE - FANTASY



Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
	14,4 x 7,6 cm	37.5 mq	190 cm	11 x 7,6 x 0 cm	25

### Characteristics

#### Age range

3-12

#### Materials



#### Plan

#### Picture

#### Manufacturer

Pozza 1865 S.R.L.



#### Country of manufacturing

ITALY



## Components list




**xABACOU0600-N\_ALU - NG Panel with numbers-1**  
NR 1 Made of colored polyethylene, sandwich type, with central rotating disk.



**xABACOU0600-S\_ALU - NG Mirror MAGIC Panel**  
NR 1 Made of polyethylene, with mirror made polished stainless steel.



**xBV-2\_ALU - NG Gear panel**  
NR 1 Vertical panel made of polyethylene and wood shelf.



**xBV-3\_ALU - NG Galaxy panel**  
NR 1 Vertical panel made of polyethylene



**xBV-4\_ALU - NG Activity panel**  
NR 1 Made of colored polyethylene, sandwich type, with flow lanes, rotating disk and central knob



**xC3\_ALU - NG Esagonal platform**  
NR 1 Made of non-slip material




**xHT5-19\_ALU - NG Esagonal tower h 190 cm with roof**  
NR 1 Composed of 6 posts having a 9 x 9 cm section by lamellar wood, 1 esagonal platform placed at a height of 190 cm. Coloured gable roof



**xP-2.1 \_ALU - NG Porthole Themed Panel**  
NR 2 .



**xP-3T\_ALU - NG Panels inside-out-2**  
NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



**xPI-10\_ALU - NG Fixed inclined bridge Fantasy**  
NR 1 Walkway made of impregnated wood, with polyethylene parapets



**xPI-6\_ALU - NG Tibetan bridge**  
NR 1 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



**xQ-9\_ALU - NG Square tower without roof h90 cm**  
NR 1 h90 cm tower without roof made of 4 EN EV6060 anodized aluminum post with custom mold 9x9cm with rounded edges, minimum thickness 2,7mm. Central platform made of HDPE polyethylene with anti slip coating and painted and anodized steel brackets. All the fixing elements made of stainless steel



**xQT4-14\_ALU - NG Square tower h140 cm Fantasy**  
NR 1 Composed of 4 posts having a 9 x 9 mm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof



**xRH-1\_ALU - NG Access ramp suitable for disabled people**  
NR 2 Made of impregnated lamellar wood.



**xS-19\_ALU - NG Climbing ladder h190 cm**  
NR 1 made of impregnated wood, complete with handrails and protective panels made of polyethylene



**xS6-9\_ALU - NG Shroud lift h90 cm**  
NR 1 Composed by climbing net in steel rope. Included by thrust bar



**xSCL1-14\_ALU - NG Free-climbing inclined ramp h. 140**  
NR 1 H140 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainless steel



**xSVPX-14\_ALU - NG Straight slide h140 cm Fantasy**  
NR 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



**xSVPX-9\_ALU - NG Straight slide h90 cm Fantasy**  
NR 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.



**xSW-19\_ALU - NG Tube-shaped slide h 190 cm diameter 80 cm**  
NR 1 Polyethylene slide certified according to the existing rules; starting platform height 190 cm



**xSW-E-19\_ALU - NG Tube Slide h190 (spiral)**  
NR 1 .