


**+AE102SSU.TT-17\_ALU**  
**ARIES - EASY**



Dimensions		Safety area		Impact area		Falling height HIC		Physical footprint		Number of users
		9,9 x 11,5 m		26.5 mq		140 cm		6,4 x 8 x 3,3 m		25

Characteristics		hdpe		stainless steel screws		use under surveillance
-----------------	--	------	--	------------------------	--	------------------------

Age range	3-12	Materials		anodised aluminium	Made of EN EV6060 anodized aluminium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm
-----------	------	-----------	--	--------------------	--



**Manufacturer**  
Pozza 1865 S.R.L.

**Country of manufacturing**  
ITALY

Area di sicurezza totale / Total safety area: 76.5mq  
Altezza Max di Caduta / Max falling height: 1.40m

## Components list



**xABACOGT-01\_E\_ALU - NG OXO Panel Easy**

NR 2 Two colored polyethylene panel with serigraphy XOX symbols, 9 half-moon rolling panels, Inox steel bolts.



**xBV-7\_E\_ALU - NG Shop panels Easy**

NR 1 Vertical panel made of polyethylene and wood shelf.



**xP-2\_E\_ALU - NG Protection lateral panels with polycarbonate portholes Easy**

NR 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



**xP-7.1\_E\_ALU - NG Simple Skyblue Panel**

N. 1 .



**xP-7\_E\_ALU - NG Green Panel**

NR 1 .



**xPAL-01\_ALU - NG Angular Gym**

N. 1 Vertical net with frame made of lamellar wood beams fixed through disappearing and passing nuts and bolts Bars realized with stainless steel tubular pegs, mounted into two lateral wooden supports Climbing cord



**xPI-10\_E\_ALU - NG Fixed inclined bridge Easy**

NR 2 Walkway made of impregnated wood, with polyethylene parapets



**xPI-6\_E\_ALU - NG Tibetan bridge Easy**

NR 1 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



**xPP-14\_E\_ALU - NG Fireman pole 140 cm Easy**

NR 1 Made of tubular stainless steel



**xPR\_E\_ALU - NG Easy Railing**

NR 1 Fantasy railing in painted steel



**xQ-4\_E\_ALU - NG Square tower h 40 cm Easy (without roof)**

NR 2 Composed of 4 posts having a 9 x 9 cm section aluminium, 1 square platform placed at a height of 90 cm.



**xQT12-9\_E\_ALU - NG Easy Square tower h90 cm**

NR 1 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 90 cm. Roof made of painted steel tubes.



**xQT4-14\_E\_ALU - NG Square tower h140 cm Easy**

NR 1 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof.



**xQT4-9\_E\_ALU - NG Square tower h90 cm style Easy**

NR 1 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 90 cm. Coloured polyethylene gable roof.



**xS6-9\_E\_ALU - NG Shroud lift h90 cm Easy**

NR 1 Composed by climbing net in steel rope. Included by thrust bar



**xSCL2-4\_ALU - NG Climbing Platform h40 cm**

NR 2 .



**xSVPX-14\_E\_ALU - NG Straight slide h140 cm Easy**

NR 1 Easy slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



**xSVPX-9\_E\_ALU - NG Straight slide h90 cm Easy**

NR 1 Easy slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.



**xTT-17\_E\_ALU - NG Polyethylene Tunnel Easy**

NR 1 Made of polyethylene provided with panels of connection to polyethylene turrets