data sheet

+AF203.PAL-02_ALU

CAPRI CON PALESTRA - FANTASY



Dimensions

Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
10 x 8,5 m	57.5 mq	190 cm	6,5 x 5,1 x 3,3 m	23

Characteristics

2 hdpe

stainless steel screws

use under surveillance

Age range

Da 3 a 12 anni

Materials

anodised aluminium

Made of EN EV6060 anodized alumium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm

inclusive


Manufacturer

Pozza 1865 S.R.L.

Country of manufacturing

ITALY

Plan



Area di sicurezza totale / Total safety area: 62.5mq
Altezza Max di Caduta / Max falling height: 1.90m

Picture



Components list



xABACOU0600-N_ALU - NG Panel with numbers-1 Fantasy
N. 1 Made of colored polyethylene, sandwich type, with central rotating disk.



xC1_ALU - NG Triangular platform, under tower
NR 1 Made of non-slip material



xC24_ALU - NG Balcony Fantasy
N. 1 Made of painted steel, provided with stainless steel brackets for fixing them to the tower.

xCTBR0012_ALU - NG Fantasy holding bar
N. 1 Fantasy steel holding bar L.860

xG_120_90-190_ALU - NG Leg 120 from 90 190
NR 2 .

xG_90X90_90-190_ALU - NG Leg 90x90 from 90 190
N. 2 .



xGT-08_ALU - NG Climbing h50 cm
N. 1 Climbing between towers made of recycled material with resin climbing rocks



xP-3Q_ALU - NG Panels inside-out-1 Fantasy
N. 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower




xP-3T_ALU - NG Panels inside-out-2 Fantasy
N. 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower




xP-7.1_ALU - NG Simple Turquoise Panel
N. 1 .



xPAL-02_ALU - NG Linear Gym-2
N. 1 Vertical net with frame made of lamellar wood beams fixed through disappearing and passing nuts and bolts Bars realized with stainless steel tubular pegs, mounted into two lateral wooden supports Climbing cord



xPAL-05_ALU - NG Gym suspended
N. 1 With handhold along tubes steel. Wall stainless steel bars.



xPAL-05B_ALU - NG Ground gym baby
N. 1 GROUND GYM BABY



xPD-5_ALU - NG Right mobile bridge
N. 1 Mobile bridge made of a painted steel frame with HDPE moving flowers as base and a rubber floor for safety



xPP-14_ALU - NG Fireman pole h 140 cm
N. 1 Made of tubular stainless steel



xQT4-14_ALU - NG Square tower h140 cm Fantasy
N. 1 Composed of 4 posts having a 9 x 9 mm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof



xS4-14_ALU - NG Steel ladder h140 cm
N. 2 Rungs made of stainless steel. Complete with steel bar.



xSCL1D-14_ALU - NG VERTICAL CLIMBING BOARD
N. 1 VERTICAL CLIMBING BOARD



xSTI-14_ALU - NG Descending tube slide h 140 cm
N. 1 Stainless steel slide made of tubular type



xSVPX-14_ALU - NG Straight slide h140 cm Fantasy
N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



xT-14_ALU - NG Triangular tower without roof h 140 cm:
NR 1 Composed by 3 posts having a pentagonal section by lamellar wood, 1 square platform placed at a height of 140 cm.



xTT-14_ALU - NG Triangular Tower h140 with roof Fantasy
N. 1 .

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica

Copyright (C) POZZA 1865 S.r.l. - P.IVA IT02311670224 - info@pozza.it