

Components list



xABACOGT-01_ALU - NG OXO Panel Fantasy

NR 1 Two colored polyethylene panel with serigraphy XOX symbols, 9 half-moon rolling panels, Inox steel bolts.




xC24_ALU - NG Balcony

NR 1 Made of painted steel, provided with stainless steel brackets for fixing them to the tower.



xGT-08_ALU - NG Climbing h50 cm

NR 1 Climbing between towers made of recycled material with resin climbing rocks



xP-2_ALU - NG Protection lateral panels with polycarbonate portholes

NR 2 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



xPI-6_ALU - NG Tibetan bridge

NR 2 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



xQ-14_ALU - NG Square tower h140 cm without roof

NR 1 Composed of 4 posts having a diameter of 10cm of galvanized steel, 1 square platform placed at a height of 140 cm



xQT4-19_ALU - NG Square tower h 190 cm:

NR 1 Composed of 4 posts having a 9 x 9 cm section by lamellar wood, 1 square platform placed at a height of 190 cm. Coloured polyethylene gable roof.



xS4-9_ALU - NG Steel ladder h90 cm

NR 2 rungs made of stainless steel. Complete with steel bar



xSTI-14_ALU - NG Descending tube slide h 140 cm

NR 1 Stainless steel slide made of tubular type



xSVPX-14_ALU - NG Straight slide h140 cm Fantasy

NR 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



xSW-19_ALU - NG Tube-shaped slide h 190 cm diameter 80 cm

NR 1 Polyethylene slide certified according to the existing rules; starting platform height 190 cm



xT-14_ALU - NG Triangular tower without roof h 140 cm:

NR 1 Composed by 3 posts having a pentagonal section by lamellar wood, 1 square platform placed at a height of 140 cm.



**xT-9_ALU - NG Triangular tower
without roof h 90cm:**

NR 1 Composed of 3 posts having a pentagonal section by lamellar wood, 1 square platform placed at a height of 90 cm.

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica