data sheet

+EF001-H_ALU

CASETTA MIRTILLO INCLUSIVE



Dimensions

Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
8,3 x 7,9 m	0 mq	90 cm	5,3 x 4,4 x 2,5 m	10

Characteristics

stainless steel screws

Age range

Da 2 a 12 anni


Materials

anodised aluminium

Made of EN EV6060 anodized alumium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm

inclusive

Plan



Area di sicurezza totale / Total safety area: 44.5mq
Altezza Max di Caduta / Max falling height: 0.90m

Picture



Manufacturer

Pozza 1865 S.R.L.

Country of manufacturing

ITALY

Components list




xQT4-6_ALU - NG Square tower h 60 cm-1 Fantasy
N. 1 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 60 cm. Coloured polyethylene gable roof



xP-3Q_ALU - NG Panels inside-out-1 Fantasy
N. 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower




xP-3T_ALU - NG Panels inside-out-2 Fantasy
N. 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



xP-2_ALU - NG Protection lateral panels with polycarbonate portholes Fantasy
N. 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



xP-7_ALU - NG Simple Lime Panel
N. 2 Panel made of HDPE polyethilene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xBV-8_ALU - NG Football panel
N. 1 Vertical panel made of polyethylene and wood shelf.



xBV-4_ALU - NG Activity panel Fantasy
N. 1 Made of colored polyethylene, sandwich type, with flow lanes, rotating disk and central knob



xBV-3.1_ALU - NG Globe Panel
NR 1 .



xBV-3_ALU - NG Galaxy panel Fantasy
N. 1 Vertical panel made of polyethylene




xSVPXH-6_ALU - NG Poly-Inox Slide h60 (inclusive) Fantasy
N. 1 .



xABACOU0600-N_ALU - NG Panel with numbers-1 Fantasy
N. 1 Made of colored polyethylene, sandwich type, with central rotating disk.



xGT-06_ALU - NG Step Flower
N. 1 Polyethilene flower supported by a galvanized steel bean



xGT-V0100.P_ALU - NG Playground table attachment-1 Fantasy
N. 2 Playground table made of HDPE Polyethilene with an aluminium beam support and a flower shaped HDPE seat



xBV-9_ALU - NG Car Activity panel Fantasy
N. 1 Made of colored polyethylene, sandwich type, with flow lanes, rotating disk and central knob



xBV-5_ALU - NG Flower Activity panel Fantasy
N. 1 Made of colored polyethylene, sandwich type, with flow lanes, rotating disk and central knob

xG_90X90_00-60_ALU - NG Leg 90x90 from 00 60
N. 8 .

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica

Copyright (C) POZZA 1865 S.r.l. - P.IVA IT02311670224 - info@pozza.it