data sheet

+AF103B.EPAL-01_L_ALU
DRAGON BABY WITH GYM - LEAVES



Dimensions

Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
9,6 x 7,3 m	15 mq	140 cm	6,1 x 4,3 x 3 m	20

Characteristics

2 hdpe

stainless steel screws

use under surveillance

Age range

From 3 to 12 years

Materials

anodised aluminium

Made of EN EV6060 anodized alumium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm

Plan



Picture



Manufacturer

Pozza 1865 S.R.L.

Country of manufacturing

ITALY

Components list

xCTBR0012_ALU - NG Fantasy holding bar
N. 1 Fantasy steel holding bar L.860



xEPAL-01_ALU - NG Net Gym Kit
N. 1 .



xGT-06_ALU - NG Step Flower
N. 1 Polyethilene flower supported by a galvanized steel bean



xLP-20_ALU - NG Large Leaf Accessory
N. 1 Leaves panel



xLP-5_ALU - NG Small Leaf Accessory
N. 1 Leaves panel



xP-7_L_ALU - NG Green Simple Panel
N. 1 Panel made of HDPE polyethilene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xPD-6_ALU - NG Tibetan bridge-1
N. 1 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



xPl-10_L_ALU - NG Basic Inclined Bridge Leaves
N. 1 Walkway made of alluminium, with polyethylene parapets



xPP-9_ALU - NG Fireman pole h 90 cm
N. 1 Made of tubular stainless steel



xQ-9_ALU - NG Square tower without roof h90 cm
N. 1 h90 cm tower without roof made of 4 EN EV6060 anodized alumium post with custom mold 9x9cm with rounded edges, minimum thickness 2,7mm. Central platform made of HDPE polyethilene with anti slip coating and painted and anodized steel brackets. All the fixing elements made of stainless steel



xQT4-9_L_ALU - NG Tower h90 with Roof Leaves
N. 1 Manufactured with 4 posts having a 9 x 9 cm section by lamellar wood, 1 square platform placed at a height of 90 cm. Coloured polyethylene gable roof.



xS4-9_ALU - NG Steel ladder h90 cm
N. 2 rungs made of stainless steel. Complete with steel bar



xSVPX-9_L_ALU - NG Poly-Inox Slide h90 Leaves
N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.



xT-4_ALU - NG Triangular tower without roof h 40cm:
N. 1 Composed of 3 posts having a pentagonal section by lamellar wood, 1 square platform placed at a height of 40 cm.

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica

Copyright (C) POZZA 1865 S.r.l. - P.IVA IT02311670224 - info@pozza.it