


+AF103.P-3Q_ALU DRAGON CON PANNELLI - FANTASY



Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
11,7 x 5,4 m	40.5 mq	140 cm	8,1 x 3,3 x 3,4 m	15	


Characteristics



Age range


Da 3 a 12 anni

Materials



Made of EN EV6060 anodized aluminium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm

Plan



Picture



Manufacturer

Pozza 1865 S.R.L.

Country of manufacturing

ITALY



Area di sicurezza totale / Total safety area: 49mq
Altezza Max di Caduta / Max falling height: 1.40m


Components list



xBV-10_ALU - NG Braille Panel
N. 1 .



xBV-2_ALU - NG Gear panel
NR 1 Vertical panel made of polyethylene and wood shelf.




xP-2_ALU - NG Protection lateral panels with polycarbonate portholes
NR 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



xP-3Q_ALU - NG Panels inside-out-1
NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



xP-7.1_ALU - NG Simple Turquoise Panel
NR 1 .



xPD-10_ALU - NG Fixed right bridge
NR 1 Walkway made of impregnated wood, with polyethylene parapets



xPI-5_ALU - NG Inclined mobile bridge
NR 1 Made of impregnated wood, with laminated wood beams oscillating hanging on to the handrail with steel ropes coated



xQT4-14_ALU - NG Square tower h140 cm Fantasy
N. 1 Composed of 4 posts having a 9 x 9 mm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof



xQT4-9_ALU - NG Square tower h 90cm style Fantasy
NR 1 Composed by 4 posts having a 10 cm diameter by anodized steel, 1 square platform placed at a height of 90 cm. Coloured polyethylene gable roof



xS4-9_ALU - NG Steel ladder h90 cm
NR 1 rungs made of stainless steel. Complete with steel bar



xS-9_ALU - NG Climbing ladder h90 cm Fantasy
NR 1 made of aluminium, complete with handrails and protective panels made of polyethylene



xSCL2-9_ALU - NG Climbing Platform h90 cm
NR 1 .



xSVPX-14_ALU - NG Straight slide h140 cm Fantasy
NR 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



xTT-14_ALU - NG Triangular Tower
h140 with roof
NR 1 .

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica