

+AF103.P-3Q_ALU

DRAGON CON PANNELLI - FANTASY



Dimensions



Safety area

11,7 x 5,4 cm



Impact area

38.5 mq



Falling height HIC

140 cm



Physical footprint

8,1 x 3,3 x 3,4 cm



Number of users

15

Characteristics

Age range

3-12

Materials

Plan

Picture

Manufacturer


Pozza 1865 S.R.L.

Country of manufacturing

ITALY




Components list



xBV-10_ALU - NG Braille Panel
NR 1 .




xBV-2_ALU - NG Gear panel
NR 1 Vertical panel made of polyethylene and wood shelf.




xP-2_ALU - NG Protection lateral panels with polycarbonate portholes
NR 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



xP-3Q_ALU - NG Panels inside-out-1
NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



xP-7.1_ALU - NG Simple Turquoise Panel
NR 1 .



xPD-10_ALU - NG Fixed right bridge
NR 1 Walkway made of impregnated wood, with polyethylene parapets



xPI-5_ALU - NG Inclined mobile bridge
NR 1 Made of impregnated wood, with laminated wood beams oscillating hanging on to the handrail with steel ropes coated



xQT4-14_ALU - NG Square tower h140 cm Fantasy
NR 1 Composed of 4 posts having a 9 x 9 mm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof



xQT4-9_ALU - NG Square tower h 90cm style Fantasy
NR 1 Composed by 4 posts having a 10 cm diameter by anodized steel, 1 square platform placed at a height of 90 cm. Coloured polyethylene gable roof



xS4-9_ALU - NG Steel ladder h90 cm
NR 1 rungs made of stainless steel. Complete with steel bar



xS-9_ALU - NG Climbing ladder h90 cm Fantasy
NR 1 made of aluminium, complete with handrails and protective panels made of polyethylene



xSCL2-9_ALU - NG Climbing Platform h90 cm
NR 1 .



xSVPX-14_ALU - NG Straight slide h140 cm Fantasy
NR 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



xTT-14_ALU - NG Triangular Tower
h140 with roof
NR 1 .

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica