



## Components list




### **xBV-2\_ALU - NG Gear panel**

NR 1 Vertical panel made of polyethylene and wood shelf.



### **xBV-3\_ALU - NG Galaxy panel**

NR 1 Vertical panel made of polyethylene



### **xP-2\_ALU - NG Protection lateral panels with polycarbonate portholes**

NR 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



### **xP-7\_ALU - NG Simple Lime Panel**

NR 1 Panel made of HDPE polyethylene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



### **xPAL-01C\_ALU - NG Net gym**

NR 1 Vertical net with frame made of painted steel supporting a climbing net made of steel rope with nylon cover



### **xPD-5\_ALU - NG Right mobile bridge**

N. 1 Mobile bridge made of a painted steel frame with HDPE moving flowers as base and a rubber floor for safety



### **xQ-9\_ALU - NG Square tower without roof h90 cm**

NR 1 h90 cm tower without roof made of 4 EN EV6060 anodized aluminum post with custom mold 9x9cm with rounded edges, minimum thickness 2,7mm. Central platform made of HDPE polyethylene with anti slip coating and painted and anodized steel brackets. All the fixing elements made of stainless steel



### **xQT4-9\_ALU - NG Square tower h 90cm style Fantasy**

NR 2 Composed by 4 posts having a 10 cm diameter by anodized steel, 1 square platform placed at a height of 90 cm. Coloured polyethylene gable roof




### **xS-9\_ALU - NG Climbing ladder h90 cm Fantasy**

NR 1 made of aluminium, complete with handrails and protective panels made of polyethylene




### **xSCL1-9\_ALU - NG Free-climbing inclined ramp h 90 cm**

NR 1 H90 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainless steel



### **xSVPX-9\_ALU - NG Straight slide h90 cm Fantasy**

NR 2 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.



**xTT-17\_ALU - NG Polyethylene Tunnel  
Fantasy**

NR 1 Made of polyethylene provided with panels of connection to polyethylene turrets

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica