data sheet

+AF103P.TT-17.P-01B_ALU

DRAGON CON TUNNEL E PALESTRA BABY - FANTASY



Dimensions

Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
9,6 x 10 m	0 mq	90 cm	6,1 x 6,5 x 3,1 m	15

Characteristics

2 hdpe

stainless steel screws

use under surveillance

Age range

Da 3 a 12 anni

Materials

anodised aluminium

Made of EN EV6060 anodized alumium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm


Manufacturer

Pozza 1865 S.R.L.

Country of manufacturing

ITALY

Plan



Area di sicurezza totale / Total safety area: 57mq
Altezza Max di Caduta / Max falling height: 0.90m


Picture




Components list



xBV-2_ALU - NG Gear panel Fantasy
N. 1 Vertical panel made of polyethylene and wood shelf.



xBV-3_ALU - NG Galaxy panel Fantasy
N. 1 Vertical panel made of polyethylene



xP-2_ALU - NG Protection lateral panels with polycarbonate portholes Fantasy
N. 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



xP-7_ALU - NG Simple Lime Panel
N. 1 Panel made of HDPE polyethilene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xPAL-01C_ALU - NG Net gym
N. 1 Vertical net with frame made of painted steel supporting a climbing net made of steel rope with nylon cover



xPD-5_ALU - NG Right mobile bridge
N. 1 Mobile bridge made of a painted steel frame with HDPE moving flowers as base and a rubber floor for safety



xQ-9_ALU - NG Square tower without roof h90 cm
N. 1 h90 cm tower without roof made of 4 EN EV6060 anodized alumium post with custom mold 9x9cm with rounded edges, minimum thickness 2,7mm. Central platform made of HDPE polyethilene with anti slip coating and painted and anodized steel brackets. All the fixing elements made of stainless steel




xQT4-9_ALU - NG Square tower h 90cm style Fantasy
N. 2 Composed by 4 posts having a 10 cm diameter by anodized steel, 1 square platform placed at a height of 90 cm. Coloured polyethylene gable roof




xS-9_ALU - NG Climbing ladder h90 cm Fantasy
N. 1 made of aluminium, complete with handrails and protective panels made of polyethylene



xSCL1-9_ALU - NG Free-climbing inclined ramp h 90 cm
N. 1 H90 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainelss steel



xSVPX-9_ALU - NG Straight slide h90 cm Fantasy
N. 2 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.



xTT-17_ALU - NG Polyethylene Tunnel Fantasy

N. 1 Made of polyethylene provided with panels of connection to polyethylene turrets

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica

Copyright (C) POZZA 1865 S.r.l. - P.IVA IT02311670224 - info@pozza.it