

+AF103_ALU DRAGON - FANTASY




Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
10,1 x 9,7 m	41.5 mq	140 cm	6,6 x 6,7 x 3,4 m	18	

Characteristics	hdpe	stainless steel screws	use under surveillance

Age range	Materials	Made of EN EV6060 anodized aluminium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm
Da 3 a 12 anni	anodised aluminium	

Plan



Picture




Manufacturer
Pozza 1865 S.R.L.

Country of manufacturing



Area di sicurezza totale / Total safety area: 60mq
Altezza Max di Caduta / Max falling height: 1.40m

Components list




xABACOGT-01_ALU - NG OXO Panel Fantasy

N. 1 Two colored polyethylene panel with serigraphy XOX symbols, 9 half-moon rolling panels, Inox steel bolts.



xABACOU0600-N_ALU - NG Panel with numbers-1

NR 1 Made of colored polyethylene, sandwich type, with central rotating disk.




xBV-3_ALU - NG Galaxy panel

NR 1 Vertical panel made of polyethylene




xC24_ALU - NG Balcony

NR 1 Made of painted steel, provided with stainless steel brackets for fixing them to the tower.



xP-2_ALU - NG Protection lateral panels with polycarbonate portholes

NR 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



xP-7.1_ALU - NG Simple Turquoise Panel

NR 1 .



xP-7_ALU - NG Simple Lime Panel

NR 1 Panel made of HDPE polyethylene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xPAL-01_ALU - NG Angular Gym

N. 1 Vertical net with frame made of lamellar wood beams fixed through disappearing and passing nuts and bolts Bars realized with stainless steel tubular pegs, mounted into two lateral wooden supports Climbing cord



xPD-10_ALU - NG Fixed right bridge

NR 1 Walkway made of impregnated wood, with polyethylene parapets



xPI-5_ALU - NG Inclined mobile bridge

NR 1 Made of impregnated wood, with laminated wood beams oscillating hanging on to the handrail with steel ropes coated



xQ-14_ALU - NG Square tower h140 cm without roof

NR 1 Composed of 4 posts having a diameter of 10cm of galvanized steel, 1 square platform placed at a height of 140 cm



xQT4-14_ALU - NG Square tower h140 cm Fantasy

N. 1 Composed of 4 posts having a 9 x 9 mm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof



xQT4-9_ALU - NG Square tower h 90cm style Fantasy

NR 1 Composed by 4 posts having a 10 cm diameter by anodized steel, 1 square platform placed at a height of 90 cm. Coloured polyethylene gable roof



**xS-9_ALU - NG Climbing ladder h90
cm Fantasy**

NR 1 made of aluminium, complete with handrails and protective panels made of polyethylene



**xSVPX-14_ALU - NG Straight slide
h140 cm Fantasy**

NR 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.