

+AF103.QT4-19_ALU
DRAGON H190 - FANTASY




Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
9,8 x 7,4 m	48.5 mq	190 cm	6,8 x 3,9 x 3,9 m	30	

Characteristics	hdpe	stainless steel screws	use under surveillance

Age range	Materials	Made of EN EV6060 anodized aluminium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm
Da 3 a 12 anni	anodised aluminium	



Plan



Picture



Manufacturer
 Pozza 1865 S.R.L.

Country of manufacturing
 ITALY

Area di sicurezza totale / Total safety area: 62,5mq
 Altezza Max di Caduta / Max falling height: 1.90m

Components list



xABACOGT-01_ALU - NG OXO Panel Fantasy

N. 1 Two colored polyethylene panel with serigraphy XOX symbols, 9 half-moon rolling panels, Inox steel bolts.




xABACOU0600.O_ALU - NG OPTICAL PANEL

NR 1 OPTICAL EASY PANEL MADE OF POLYTHILENE




xBV-3.1_ALU - NG Globe Panel

NR 1 .



xBV-3_ALU - NG Galaxy panel

NR 1 Vertical panel made of polyethylene



xC2_ALU - NG Square platform, under tower

NR 1 Made of non slip material.




xG_90X90_90-190_ALU - NG Leg 90x90 from 90 190

NR 2 .




xGT-08_ALU - NG Climbing h50 cm

NR 1 Climbing between towers made of recycled material with resin climbing rocks



xP-2_ALU - NG Protection lateral panels with polycarbonate portholes

NR 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



xP-7.1_ALU - NG Simple Turquoise Panel

NR 1 .



xP-7_ALU - NG Simple Lime Panel

NR 1 Panel made of HDPE polyethylene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xPAL-01_ALU - NG Angular Gym

N. 1 Vertical net with frame made of lamellar wood beams fixed through disappearing and passing nuts and bolts Bars realized with stainless steel tubular pegs, mounted into two lateral wooden supports Climbing cord



xPI-6_ALU - NG Tibetan bridge

NR 1 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



xQT4-19_ALU - NG Square tower h 190 cm:

NR 2 Composed of 4 posts having a 9 x 9 cm section by lamellar wood, 1 square platform placed at a height of 190 cm. Coloured polyethylene gable roof.



xS-19_ALU - NG Climbing ladder h190 cm

NR 1 made of impregnated wood, complete with handrails and protective panels made of polyethylene



xSCL1-19_ALU - NG Free-climbing inclined ramp h. 190

NR 1 H190 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainless steel



xSVPX-14_ALU - NG Straight slide h140 cm Fantasy

NR 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.