data sheet

+AF103.QT4-19_ALU
DRAGON H190 - FANTASY



Dimensions

Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
9,8 x 7,4 m	48.5 mq	190 cm	6,8 x 3,9 x 3,9 m	30

Characteristics

2 hdpe

stainless steel screws

use under surveillance

Age range

Da 3 a 12 anni

Materials

anodised aluminium

Made of EN EV6060 anodized alumium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm

inclusive


Manufacturer

Pozza 1865 S.R.L.

Country of manufacturing

ITALY

Plan



Picture



Components list



xABACOGT-01_ALU - NG OXO Panel Fantasy
N. 1 Two colored polyethylene panel with serigraphy XOX symbols, 9 half-moon rolling panels, Inox steel bolts.




xABACOU0600.O_ALU - NG Optical Panel Fantasy
N. 1 .



xBV-3.1_ALU - NG Globe Panel
NR 1 .



xBV-3_ALU - NG Galaxy panel Fantasy
N. 1 Vertical panel made of polyethylene




xC2_ALU - NG Square platform, under tower
N. 1 Made of non slip material.

xG_90X90_90-190_ALU - NG Leg 90x90 from 90 190
N. 2 .



xGT-08_ALU - NG Climbing h50 cm
N. 1 Climbing between towers made of recycled material with resin climbing rocks



xP-2_ALU - NG Protection lateral panels with polycarbonate portholes Fantasy
N. 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



xP-7.1_ALU - NG Simple Turquoise Panel
N. 1 .



xP-7_ALU - NG Simple Lime Panel
N. 1 Panel made of HDPE polyethilene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xPAL-01_ALU - NG Angular Gym
N. 1 Vertical net with frame made of lamellar wood beams fixed through disappearing and passing nuts and bolts Bars realized with stainless steel tubular pegs, mounted into two lateral wooden supports Climbing cord



xPI-6_ALU - NG Tibetan bridge
N. 1 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



xQT4-19_ALU - NG Square tower h 190 cm: Fantasy
N. 2 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 190 cm. Coloured polyethylene gable roof



xS-19_ALU - NG Climbing ladder h190 cm Fantasy
N. 1 STAIR MADE OF ALUMINUM H190



xSCL1-19_ALU - NG Free-climbing inclined ramp h. 190
N. 1 H190 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainelss steel



xSVPX-14_ALU - NG Straight slide h140 cm Fantasy
N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



xABACOU0600-N_ALU - NG Panel with numbers-1 Fantasy
N. 1 Made of colored polyethylene, sandwich type, with central rotating disk.

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica

Copyright (C) POZZA 1865 S.r.l. - P.IVA IT02311670224 - info@pozza.it