data sheet

+AF603_ALU
ELBA - FANTASY



Dimensions

Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
9 x 8,2 m	45 mq	140 cm	6 x 4,6 x 3,6 m	18

Characteristics

2 hdpe

stainless steel screws

use under surveillance

Age range

Da 3 a 12 anni

Materials

anodised aluminium

Made of EN EV6060 anodized alumium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm


Manufacturer

Pozza 1865 S.R.L.

Country of manufacturing

ITALY

Plan



Area di sicurezza totale / Total safety area: 55.5mq
Altezza Max di Caduta / Max falling height: 1.40m


Picture



Components list



xABACOGT-03_ALU - NG Calculator Panel
NR 1 .




xBV-3_ALU - NG Galaxy panel Fantasy
N. 1 Vertical panel made of polyethylene



xBV-8_ALU - NG Football panel
N. 1 Vertical panel made of polyethylene and wood shelf.



xGT-02_ALU - NG Flexible seat
N. 1 Flexible seat made of rubber with stainless steel supports



xP-2_ALU - NG Protection lateral panels with polycarbonate portholes Fantasy
N. 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



xP-7.1_ALU - NG Simple Turquoise Panel
N. 1 .



xPD-6_ALU - NG Tibetan bridge-1
N. 1 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



xPI-5_ALU - NG Inclined mobile bridge
N. 1 Made of impregnated wood, with laminated wood beams oscillating hanging on to the handrail with steel ropes coated



xQ-9_ALU - NG Square tower without roof h90 cm
N. 1 h90 cm tower without roof made of 4 EN EV6060 anodized alumium post with custom mold 9x9cm with rounded edges, minimum thickness 2,7mm. Central platform made of HDPE polyethilene with anti slip coating and painted and anodized steel brackets. All the fixing elements made of stainless steel




xQT12-14_ALU - NG Square tower h140 cm
N. 1 .



xS11-14_ALU - NG Cloud stairs
N. 1 Cloud stairs made of caply and painted steel



xS-9_ALU - NG Climbing ladder h90 cm Fantasy
N. 1 made of aluminium, complete with handrails and protective panels made of polyethylene



xSTI-9_ALU - NG Descending tube slide h90 cm
N. 1 Made of steel pipe



xSVPX-14_ALU - NG Straight slide h140 cm Fantasy

N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



xTT-14_ALU - NG Triangular Tower h140 with roof Fantasy

N. 1 .

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica

Copyright (C) POZZA 1865 S.r.l. - P.IVA IT02311670224 - info@pozza.it