




## +AF101B.ALT-01\_ALU HOOK BABY CON ALTALENA - FANTASY




Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
8,6 x 7,3 m	15 mq	117 cm	6,7 x 3,7 x 2,8 m	15	

Characteristics	hdpe	stainless steel screws	use under surveillance
			

**Age range**  
Da 3 a 12 anni


### Materials



Made of EN EV6060 anodized aluminium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm



### Plan



Area di sicurezza totale / Total safety area: 50mq  
Altezza Max di Caduta / Max falling height: 1.17m

### Picture



### Manufacturer

Pozza 1865 S.R.L.

### Country of manufacturing


ITALY



## Components list



**xALT-01\_ALU - NG Swing kit with seat**  
NR 1 Made with painted steel girder and two easel supporting grids in lamellar wood. Rubber anti-shock seat with metal reinforcement inside. Chains made by hot galvanized steel rod; chain mesh avoiding fingers entrapment. Joints made by hot galvanized steel with swinging central joint



**xC2\_ALU - NG Square platform, under tower**  
NR 1 Made of non slip material.




**xCTSS0051\_ALU - NG Stainless Steel Spacer**  
NR 1 Stainless Steel Spacer




**xG\_90X90\_90-190\_ALU - NG Leg 90x90 from 90 190**  
NR 2 .



**xGT-06\_ALU - NG Step Flower**  
NR 1 Polyethylene flower supported by a galvanized steel bean



**xGT-V0100.P\_ALU - NG Playground table attachment-1**  
NR 1 Playground table made of HDPE Polyethylene with a wooden support and a flower shaped HDPE seat



**xP-2\_ALU - NG Protection lateral panels with polycarbonate portholes**  
NR 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



**xP-3Q\_ALU - NG Panels inside-out-1**  
NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower




**xP-3T\_ALU - NG Panels inside-out-2**  
NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



**xPR\_ALU - NG Fantasy Railing**  
NR 1 Fantasy railing in painted steel



**xQT12-9\_ALU - NG Square tower h90 cm**  
N. 1 .



**xSVPX-9\_ALU - NG Straight slide h90 cm Fantasy**  
NR 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.



**xSVPXH-6\_ALU - NG Poly-Inox Slide  
h60 (inclusive) Fantasy**  
N. 1 .



**CTBR0012 - Fantasy holding bar**  
NR 1 Fantasy steel holding bar L.860

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica