




+AF101.SG-9_L_ALU HOOK WITH SCALA A GRADONI - LEAVES




Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
8,4 x 6,8 m	21 mq	140 cm	4,9 x 3,3 x 3,5 m	20	

Characteristics	hdpe	stainless steel screws	use under surveillance
			

Age range	Materials	Made of EN EV6060 anodized aluminium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm
From 3 to 12 years	 anodised aluminium	

Plan



Picture




Manufacturer
Pozza 1865 S.R.L.

Country of manufacturing



Area di sicurezza totale / Total safety area: 42mq
Altezza Max di Caduta / Max falling height: 1,40m

Components list



xC2_ALU - NG Square platform, under tower

NR 1 Made of non slip material.



xG_90X90_90-190_ALU - NG Leg 90x90 from 90 190

NR 2 .



xGT-08_ALU - NG Climbing h50 cm

NR 1 Climbing between towers made of recycled material with resin climbing rocks



xLP-20_ALU - NG Large Leaf Accessory

N. 1 Leaves panel



xLP-5_ALU - NG Small Leaf Accessory

N. 1 Leaves panel



xP-7_L_ALU - NG Green Simple Panel

N. 1 Panel made of HDPE polyethylene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xQT4-14_L_ALU - NG Tower h140 with Roof Leaves

N. 1 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof.



xSVPX-14_L_ALU - NG Poly-Inox Slide h140 Leaves

N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



xSVPX-9_L_ALU - NG Poly-Inox Slide h90 Leaves

N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.