data sheet

+AF604WU_ALU

ISCHIA CON TUNNEL E SCIVOLO A TUBO - FANTASY



Dimensions

Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
10,6 x 12,3 m	54.5 mq	140 cm	7,2 x 8,8 x 3,6 m	25

Characteristics

2 hdpe

stainless steel screws

use under surveillance

Age range

Da 3 a 12 anni

Materials

anodised aluminium

Made of EN EV6060 anodized alumium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm

Manufacturer

Pozza 1865 S.R.L.

Country of manufacturing

ITALY

Plan



Picture



Components list



xABACOGT-03_ALU - NG Calculator Panel
NR 1 .



xABACOU0600-N_ALU - NG Panel with numbers-1 Fantasy
N. 1 Made of colored polyethylene, sandwich type, with central rotating disk.



xBV-4.1_ALU - NG Treasure Hunt Panel Fantasy
N. 1 .



xBV-8_ALU - NG Football panel
N. 1 Vertical panel made of polyethylene and wood shelf.



xP-2_ALU - NG Protection lateral panels with polycarbonate portholes Fantasy
N. 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



xP-7_ALU - NG Simple Lime Panel
N. 1 Panel made of HDPE polyethilene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xPD-6.C_ALU - NG Curved Tibetan bridge
N. 1 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections



xPI-10_ALU - NG Fixed inclined bridge Fantasy
N. 1 Walkway made of aluminium, with steel parapets.



xQ-9_ALU - NG Square tower without roof h90 cm
N. 1 h90 cm tower without roof made of 4 EN EV6060 anodized alumium post with custom mold 9x9cm with rounded edges, minimum thickness 2,7mm. Central platform made of HDPE polyethilene with anti slip coating and painted and anodized steel brackets. All the fixing elements made of stainless steel



xQT4-14_ALU - NG Square tower h140 cm Fantasy
N. 1 Composed of 4 posts having a 9 x 9 mm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof



xS-14_ALU - NG Climbing ladder h140 cm Fantasy
N. 1 made of aluminium, complete with handrails and protective panels made of polyethylene



xS6-9_ALU - NG Shroud lift h90 cm
N. 1 Composed by climbing net in steel rope. Included by thrust bar



xSCL1-14_ALU - NG Free-climbing inclined ramp h. 140
N. 1 H140 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainelss steel



xSVPX-14_ALU - NG Straight slide h140 cm Fantasy
N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



xSVPX-9_ALU - NG Straight slide h90 cm Fantasy
N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.



xSW-14_ALU - NG Tube-shaped slide h 140 cm diameter 80 cm Fantasy
N. 1 Polyethylene slide certified according to the existing rules; starting platform height 140 cm



xTT-14_ALU - NG Triangular Tower h140 with roof Fantasy
N. 1 .



xTT-17_ALU - NG Polyethylene Tunnel Fantasy
N. 1 Made of polyethylene provided with panels of connection to polyethylene turrets

Copyright (C) POZZA 1865 S.r.l. - P.IVA IT02311670224 - info@pozza.it