

+AF604AP_L_ALU ISCHIA WITH SWING AND GYM - LEAVES



Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
11 x 13,3 m	0 mq	140 cm	9,5 x 9,8 x 3,5 m	30	

Characteristics

Age range

3-12

Materials

Manufacturer


Pozza 1865 S.R.L.

Country of manufacturing

ITALY



Plan



Area di sicurezza totale / Total safety area: 106mq
Altezza Max di Caduta / Max falling height: 1.40m


Picture



Components list



xALT-01_ALU - NG Swing kit with seat
NR 1 Made with painted steel girder and two easel supporting girders in lamellar wood. Rubber anti-shock seat with metal reinforcement inside. Chains made by hot galvanized steel rod; chain mesh avoiding fingers entrapment. Joints made by hot galvanized steel with swinging central joint



xBV-3.1_L_ALU - NG Globe Panel Leaves
N. 1 .



xBV-4_L_ALU - NG Helicopter Activity Panel Leaves
N. 1 Made of colored polyethylene, sandwich type, with flow lanes, rotating disk and central knob



xEPAL-01_ALU - NG Net Gym Kit
N. 1 .



xLP-20_ALU - NG Large Leaf Accessory
N. 1 Leaves panel



xLP-5_ALU - NG Small Leaf Accessory
N. 2 Leaves panel



xP-7_L_ALU - NG Green Simple Panel
N. 1 Panel made of HDPE polyethylene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xPD-6.C_ALU - NG Curved Tibetan bridge
N. 1 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections



xQ-9_ALU - NG Square tower without roof h90 cm
NR 1 h90 cm tower without roof made of 4 EN EV6060 anodized aluminum post with custom mold 9x9cm with rounded edges, minimum thickness 2,7mm. Central platform made of HDPE polyethylene with anti slip coating and painted and anodized steel brackets. All the fixing elements made of stainless steel




xQT4-14_L_ALU - NG Tower h140 with Roof Leaves
N. 2 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof.



xS6-9_ALU - NG Shroud lift h90 cm
NR 1 Composed by climbing net in steel rope. Included by thrust bar




xSCL1-14_ALU - NG Free-climbing inclined ramp h. 140
NR 1 H140 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainless steel



**xSVPX-14_L_ALU - NG Poly-Inox Slide
h140 Leaves**

N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



**xSVPX-9_L_ALU - NG Poly-Inox Slide
h90 Leaves**

N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.