

+AF604WU_L_ALU

ISCHIA WITH TUNNEL AND TUBE SLIDE - LEAVES



Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
10,7 x 13 m	0 mq	140 cm	7,7 x 11,5 x 3,5 m	25	

Characteristics

Age range

3-12

Materials

Manufacturer


Pozza 1865 S.R.L.

Country of manufacturing

ITALY



Plan



Picture



Components list



**xABACOU0600-N_L_ALU - NG
Numbers Panel Leaves**
N. 1 .



**xBV-3.1_L_ALU - NG Globe Panel
Leaves**
N. 1 .



**xLP-20_ALU - NG Large Leaf
Accessory**
N. 1 Leaves panel



xLP-5_ALU - NG Small Leaf Accessory
N. 2 Leaves panel



xP-7_L_ALU - NG Green Simple Panel
N. 1 Panel made of HDPE polyethylene,
bi-color 86cm in width with drawing on
the outer layer. all the fixing elements in
Stainless steel



**xPD-6.C_ALU - NG Curved Tibetan
bridge**
N. 1 The net is made of steel strands
rope, 18 mm diameter, covered with a
colored nylon braid, highly resistant. The
knots are covered with shell-shape
protections



**xQ-9_ALU - NG Square tower without
roof h90 cm**

NR 1 h90 cm tower without roof made of
4 EN EV6060 anodized alumium post
with custom mold 9x9cm with rounded
edges, minimum thickness 2,7mm.
Central platform made of HDPE
polyethylene with anti slip coating and
painted and anodized steel brackets. All
the fixing elements made of stainless
steel



**xQT4-14_L_ALU - NG Tower h140 with
Roof Leaves**

N. 2 Composed by 4 posts having a 9 x 9
cm section by aluminium, 1 square
platform placed at a height of 140 cm.
Coloured polyethylene gable roof.



xS6-9_ALU - NG Shroud lift h90 cm
NR 1 Composed by climbing net in steel
rope. Included by thrust bar




**xSCL1-14_ALU - NG Free-climbing
inclined ramp h. 140**

NR 1 H140 Climbing platform - Made of
an HDPE panels with anti slip coating,
resin climbing holds on top. Support
structure made of painted and galvanized
steel. All fixing elements made of
stainelss steel



**xSVPX-14_L_ALU - NG Poly-Inox Slide
h140 Leaves**

N. 1 slide with lateral sides made of
polyethylene and stainless steel slide
certified according to the existing rules;
starting platform height 140 cm; provided
with a transversal bar.



**xSVPX-9_L_ALU - NG Poly-Inox Slide
h90 Leaves**

N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica