data sheet

+AC2709SE_ALU
MALDIVES - FANTASY



Dimensions

Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
12,3 x 10,4 m	43 mq	140 cm	6,9 x 8,4 x 3,6 m	33

Characteristics

2 hdpe

stainless steel screws

use under surveillance

Age range

Da 3 a 12 anni

Materials

anodised aluminium

Made of EN EV6060 anodized alumium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm

Plan

Picture



Manufacturer

Pozza 1865 S.R.L.

Country of manufacturing

ITALY

Components list



xABACOGT-01_ALU - NG OXO Panel Fantasy
N. 1 Two colored polyethylene panel with serigraphy XOX symbols, 9 half-moon rolling panels, Inox steel bolts.



xABACOU0700_ALU - NG Rudder panel
N. 1 Made of polyethylene, complete with rudder.



xBV-3_ALU - NG Galaxy panel Fantasy
N. 1 Vertical panel made of polyethylene



xBV-4_ALU - NG Activity panel Fantasy
N. 1 Made of colored polyethylene, sandwich type, with flow lanes, rotating disk and central knob



xC3_ALU - NG Esagonal platform
NR 1 Made of non-slip material

xCTBR0012_ALU - NG Fantasy holding bar
N. 2 Fantasy steel holding bar L.860



xHT6-14_ALU - NG Hexagonal tower less roof-4
N. 1 made of 6 aluminum beams, 1 hexagoal platform and mounted at 140 cm height



xP-2_ALU - NG Protection lateral panels with polycarbonate portholes Fantasy
N. 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



xP-7.1_ALU - NG Simple Turquoise Panel
N. 1 .



xP-7_ALU - NG Simple Lime Panel
N. 1 Panel made of HDPE polyethilene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xPAL-01C_ALU - NG Net gym
N. 1 Vertical net with frame made of painted steel supporting a climbing net made of steel rope with nylon cover



xPD-5_ALU - NG Right mobile bridge
N. 1 Mobile bridge made of a painted steel frame with HDPE moving flowers as base and a rubber floor for safety



xPI-7_ALU - NG Inclined rope bridge
N. 1 Inclinet rope bridge made of a curved painted steel supporting beam with three covered steeel ropes



xQ-14_ALU - NG Square tower h140 cm without roof
N. 1 Composed of 4 posts having a diameter of 10cm of galvanized steel, 1 square platform placed at a height of 140 cm



xQ-9_ALU - NG Square tower without roof h90 cm
N. 1 h90 cm tower without roof made of 4 EN EV6060 anodized alumium post with custom mold 9x9cm with rounded edges, minimum thickness 2,7mm. Central platform made of HDPE polyethilene with anti slip coating and painted and anodized steel brackets. All the fixing elements made of stainless steel



xRH-1_ALU - NG Access ramp suitable for disabled people
N. 2 Made of alluminium.



xS11-14_ALU - NG Cloud stairs
N. 1 Cloud stairs made of caply and painted steel



xS-9_ALU - NG Climbing ladder h90 cm Fantasy
N. 1 made of aluminium, complete with handrails and protective panels made of polyethylene



xSCL1-14_ALU - NG Free-climbing inclined ramp h. 140
N. 1 H140 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainelss steel



xSCL1D-14_ALU - NG VERTICAL CLIMBING BOARD
N. 1 VERTICAL CLIMBING BOARD



xSVPX-14_ALU - NG Straight slide h140 cm Fantasy
N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



xSVPX-9_ALU - NG Straight slide h90 cm Fantasy
N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.



xSW-14_ALU - NG Tube-shaped slide h 140 cm diameter 80 cm Fantasy
N. 1 Polyethylene slide certified according to the existing rules; starting platform height 140 cm



xT15_ALU - NG Square Fabric Roof
NR 2 .



xT16_ALU - NG Hexagonal Fabric Roof
NR 1 .

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica

Copyright (C) POZZA 1865 S.r.l. - P.IVA IT02311670224 - info@pozza.it