data sheet

+AF705PAH_ALU
MECURIO - FANTASY



Dimensions

Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
13,4 x 10,9 m	36.5 mq	140 cm	12 x 7,9 x 3,2 m	32

Characteristics

2 hdpe

stainless steel screws

use under surveillance

Age range

Da 3 a 12 anni

Materials

anodised aluminium

Made of EN EV6060 anodized alumium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm

inclusive


Manufacturer

Pozza 1865 S.R.L.

Country of manufacturing

ITALY

Plan



Picture



Components list



xABACOGT-01_ALU - NG OXO Panel Fantasy
N. 1 Two colored polyethylene panel with serigraphy XOX symbols, 9 half-moon rolling panels, Inox steel bolts.



xABACOU0600-N_ALU - NG Panel with numbers-1 Fantasy
N. 2 Made of colored polyethylene, sandwich type, with central rotating disk.



xABACOU0600-S_ALU - NG Mirror MAGIC Panel Fantasy
N. 1 Made of polyethylene, with mirror made polished stainless steel.



xALT-01_ALU - NG Swing kit with seat
N. 1 Made with painted steel girder and two easel supporting griders in lamellar wood. Rubber anti-shock seat with metal reinforcement inside. Chains made by hot galvanized steel rod; chain mesh avoiding fingers entrapment. Joints made by hot galavnized steel with swinging central joint




xBV-3.1_ALU - NG Globe Panel
NR 1 .



xHT5-4_ALU - NG Esagonal tower h 40 cm with roof: Fantasy
N. 1 Composed of 6 posts by alluminium, 1 esagonal platform placed at a height of 40 cm, 1 roof.



xHT6-4_ALU - NG Hexagonal tower less roof
N. 1 made of 6 aluminum beams, 1 hexagoal platform and mounted at 40 cm height




xP-2_ALU - NG Protection lateral panels with polycarbonate portholes Fantasy
N. 2 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.




xP-7_ALU - NG Simple Lime Panel
N. 2 Panel made of HDPE polyethilene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xPAL-01B_ALU - NG Angular baby gym
N. 1 Vertical net with frame made of lamellar wood beams fixed through disappearing and passing nuts and bolts. Bars realized with stainless steel tubular pegs, mounted into two lateral wooden supports Climbing cord.




xPD-10_ALU - NG Fixed right bridge Fantasy
N. 2 Walkway made of aluminium, with polyethylene parapets



xPI-10_ALU - NG Fixed inclined bridge Fantasy
N. 1 Walkway made of aluminium, with steel parapets.



xPI-6_ALU - NG Tibetan bridge
N. 1 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



xPR_ALU - NG Fantasy Railing
N. 1 Fantasy railing in painted steel




xQ-9_ALU - NG Square tower without roof h90 cm
N. 1 h90 cm tower without roof made of 4 EN EV6060 anodized alumium post with custom mold 9x9cm with rounded edges, minimum thickness 2,7mm. Central platform made of HDPE polyethilene with anti slip coating and painted and anodized steel brackets. All the fixing elements made of stainless steel



xQT4-14_ALU - NG Square tower h140 cm Fantasy
N. 1 Composed of 4 posts having a 9 x 9 mm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof



xS12-4_ALU - NG Inclusive staircase h40 cm
N. 1 Inclusive stair h40 made of carply and aluminum



xS2-4_ALU - NG Accessible Climbing Platform h40 cm
NR 2 .

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica

Copyright (C) POZZA 1865 S.r.l. - P.IVA IT02311670224 - info@pozza.it