

+AF705PAH.TT-17_L_ALU
MERCURIO WITH TUNNEL - LEAVES



Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
	12,6 x 10,8 m	0 mq	90 cm	9,1 x 7,3 x 3,5 m	30

Characteristics

Age range

3-12

Materials

Manufacturer


Pozza 1865 S.R.L.

Country of manufacturing

ITALY



Plan



Picture



Area di sicurezza totale / Total safety area: 90mq
Altezza Max di Caduta / Max falling height: 0.90m

Components list



xBV-10_ALU - NG Braille Panel
N. 1 .



xCTBR0012_ALU - NG Fantasy holding bar
NR 2 Fantasy steel holding bar L.860



xGT-06_ALU - NG Step Flower
NR 1 Polyethylene flower supported by a galvanized steel bean



xHT6-0_ALU - NG Hexagonal tower less roof-1
NR 1 made of 6 aluminum beams, 1 hexagonal platform and mounted at 00 cm height



xHT6-9_ALU - NG Hexagonal tower less roof-3
NR 1 made of 6 aluminum beams, 1 hexagonal platform and mounted at 90 cm height




xLP-20_ALU - NG Large Leaf Accessory
N. 1 Leaves panel



xLP-5_ALU - NG Small Leaf Accessory
N. 2 Leaves panel



xP-7_L_ALU - NG Green Simple Panel
N. 2 Panel made of HDPE polyethylene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xPD-10_L_ALU - NG Basic Straight Bridge Leaves
N. 1 Walkway made of impregnated wood, with polyethylene parapets



xPI-5_ALU - NG Inclined mobile bridge
NR 1 Made of impregnated wood, with laminated wood beams oscillating hanging on to the handrail with steel ropes coated



xRH-1_ALU - NG Access ramp suitable for disabled people
NR 1 Made of impregnated lamellar wood.



xS4-9_ALU - NG Steel ladder h90 cm
NR 2 rungs made of stainless steel. Complete with steel bar



xSCL1-9_ALU - NG Free-climbing inclined ramp h 90 cm
NR 1 H90 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainless steel



xSVPX-9_L_ALU - NG Poly-Inox Slide h90 Leaves
N. 2 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.



**xT-4_ALU - NG Triangular tower
without roof h 40cm:**

N. 3 Composed of 3 posts having a pentagonal section by lamellar wood, 1 square platform placed at a height of 40 cm.

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica