

AF104K.AF100AB ORIONE CON KIT ALTALENA




Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
	1309 x 1164 cm	65 mq	190 cm	903 x 990 x 360 cm	20

Characteristics	pine wood	use under surveillance	pavimentazione alveolare	5 anni GARANZIA
-----------------	-----------	------------------------	--------------------------	-----------------

Age range	Materials
Fino a 12 anni	legno di pino Made of CAM compliant wood.

Plan



Picture



Manufacturer
Pozza 1865 S.R.L.

Country of manufacturing



Components list



QT4-14 - Square tower h 140 cm

NR 2 Manufactured with 4 posts having a 9 x 9 mm section by lamellar wood, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof.




QT4-9 - Square tower h 90 cm-1

NR 2 Manufactured with 4 posts having a 9 x 9 cm section by lamellar wood, 1 square platform placed at a height of 90 cm. Coloured polyethylene gable roof.




PI-10 - Fixed inclined bridge

NR 2 Walkway made of impregnated wood, with polyethylene parapets



PI-5 - Inclined mobile bridge

NR 1 Made of impregnated wood, with laminated wood beams oscillating hanging on to the handrail with steel ropes coated



TT-17poly - Polyethylene Tunnel

NR 1 Made of polyethylene provided with panels of connection to polyethylene turrets



PI-4 - Inclined swinging footbridge

NR 1 Walkway made of pressure treated wood poles, with parapets side panels of colored polyethylene



S-9 - Climbing ladder h 90 cm

NR 1 made of impregnated wood, complete with handrails and protective panels made of polyethylene



SWE-19 - Spiral-shaped slide h 190 cm

NR 1 Spiral-shaped slide, 190cm high, provided with protection and safety bars placed at the starting point




SVP-140 - Scivolo h 140 cm LLDPE

NR 1 Scivolo in polietilene realizzato secondo le normative vigenti, con partenza a 140 cm, completo di barra reggispinta e pannelli di tamponamento in polietilene.



SVP-90 - Straight slide-3

NR 1 Polyethylene slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.



SCL1-9 - Free-climbing inclined ramp h 90 cm

NR 1 H90 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainless steel




PP-14 - Fireman pole h 140 cm

NR 1 Made of tubular stainless steel



P-7 - Protection lateral panels

NR 5 Panel made of HDPE polyethylene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



ABACOGT-01 - OXO Panel

NR 1 Two colored polyethylene panel with serigraphy XOX symbols, 9 half-moon rolling panels, Inox steel bolts.




BV-4 - Activity panel

NR 1 Made of colored polyethylene, sandwich type, with flow lanes, rotating disk and central knob



QT4-19 - Square tower h 190 cm:

NR 1 Composed of 4 posts having a 9 x 9 cm section by lamellar wood, 1 square platform placed at a height of 190 cm. Coloured polyethylene gable roof.



P-2 - Pannelli laterali di protezione oblo'

NR 1 Realizzati in polietilene colorato e oblo' in policarbonato trasparente, completi di staffe in acciaio inox per il fissaggio alla torretta.



P-3T - Panels inside-out-2

NR 2 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower