

+AF107PB_ALU
PEGASO - FANTASY



Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
11,9 x 9,5 m	31.5 mq	140 cm	8,4 x 6,5 x 3,6 m	25	

Characteristics	hdpe	stainless steel screws	use under surveillance

Age range	Materials	Made of EN EV6060 anodized aluminium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm
Da 3 a 12 anni		


Plan

Picture

Manufacturer
Pozza 1865 S.R.L.

Country of manufacturing

ITALY



Area di sicurezza totale / Total safety area: 77.5mq
Altezza Max di Caduta / Max falling height: 1.40m



Components list



xABACOU0600.O_ALU - NG OPTICAL PANEL
NR 1 OPTICAL EASY PANEL MADE OF POLYTHILENE



xCTSS0051_ALU - NG Stainless Steel Spacer
NR 1 Stainless Steel Spacer



xABACOU0600-N_ALU - NG Panel with numbers-1
NR 1 Made of colored polyethylene, sandwich type, with central rotating disk.



xG_90X90_00-60_ALU - NG Leg 90x90 from 00 60
N. 4 .




xBV-2_ALU - NG Gear panel
NR 1 Vertical panel made of polyethylene and wood shelf.




xGT-04_ALU - NG Furniture under the tower-2
NR 1 1 small table and 1 corner bench in polyethylene. Support made of a galvanized steel.



xBV-7.1_ALU - NG Musical Panel
NR 1 Polyethylene music panel with Steel tubes and a rubber hammer to play music on



xP-2_ALU - NG Protection lateral panels with polycarbonate portholes
NR 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



xC2_ALU - NG Square platform, under tower
NR 3 Made of non slip material.



xP-7.1_ALU - NG Simple Turquoise Panel
NR 1 .



xC24_ALU - NG Balcony
NR 1 Made of painted steel, provided with stainless steel brackets for fixing them to the tower.



xP-7_ALU - NG Simple Lime Panel
NR 1 Panel made of HDPE polyethylene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xCTBR0012_ALU - NG Fantasy holding bar
NR 2 Fantasy steel holding bar L.860




xPAL-01C_ALU - NG Net gym
NR 1 Vertical net with frame made of painted steel supporting a climbing net made of steel rope with nylon cover



xPAL-04b_ALU - NG Climbing

NR 1 Made with stainless steel rugs and recycled material base with resin climbing rocks



xPAL-05_ALU - NG Gym suspended

NR 1 With handhold along tubes steel. Wall stainless steel bars.



xPAL-05B_ALU - NG Ground gym baby

N. 2 GROUND GYM BABY



xPI-6_ALU - NG Tibetan bridge

NR 1 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



xPP-14_ALU - NG Fireman pole h 140 cm

NR 1 Made of tubular stainless steel



xPR_ALU - NG Fantasy Railing

NR 1 Fantasy railing in painted steel



xQ-9_ALU - NG Square tower without roof h90 cm

NR 1 h90 cm tower without roof made of 4 EN EV6060 anodized aluminum post with custom mold 9x9cm with rounded edges, minimum thickness 2,7mm. Central platform made of HDPE polyethylene with anti slip coating and painted and anodized steel brackets. All the fixing elements made of stainless steel



xQT4-14_ALU - NG Square tower h140 cm Fantasy

N. 1 Composed of 4 posts having a 9 x 9 mm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof



xQT4-9_ALU - NG Square tower h 90cm style Fantasy

NR 2 Composed by 4 posts having a 10 cm diameter by anodized steel, 1 square platform placed at a height of 90 cm. Coloured polyethylene gable roof



xS4-9_ALU - NG Steel ladder h90 cm

NR 2 rungs made of stainless steel. Complete with steel bar



xS6-9_ALU - NG Shroud lift h90 cm

NR 2 Composed by climbing net in steel rope. Included by thrust bar



xSCL1-9_ALU - NG Free-climbing inclined ramp h 90 cm

NR 2 H90 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainless steel





**xSVPX-14_ALU - NG Straight slide
h140 cm Fantasy**

NR 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.