data sheet

+U0100.PAL-01_ALU
PERCORSO EQUILIBRIO



Dimensions

Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
11,7 x 10,5 m	0 mq	90 cm	8,5 x 7,5 x 2,5 m	25

Characteristics

stainless steel screws

Age range


Da 2 a 12 anni

Materials

anodised aluminium

Made of EN EV6060 anodized alumium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm

Plan



Picture



Manufacturer

Pozza 1865 S.R.L.

Country of manufacturing

ITALY

Components list



xT-4_ALU - NG Triangular tower without roof h 40cm:
N. 1 Composed of 3 posts having a pentagonal section by lamellar wood, 1 square platform placed at a height of 40 cm.



xT-4_ALU - NG Triangular tower without roof h 40cm:
N. 2 Composed of 3 posts having a pentagonal section by lamellar wood, 1 square platform placed at a height of 40 cm.

xG_90X90_00-60_ALU - NG Leg 90x90 from 00 60
N. 5 .

xG_90X90_90-190_ALU - NG Leg 90x90 from 90 190
N. 5 .



xC1_ALU - NG Triangular platform, under tower
NR 2 Made of non-slip material



x0454_ALU - NG Platform Joint for Square Posts
N. 2 .



xPD-6.C_ALU - NG Curved Tibetan bridge
N. 2 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections



xPD-5_ALU - NG Right mobile bridge
N. 1 Mobile bridge made of a painted steel frame with HDPE moving flowers as base and a rubber floor for safety



xPD-10_ALU - NG Fixed right bridge Fantasy
N. 1 Walkway made of impregnated wood, with plyethylene parapets



xPD-7 _ALU - NG Rope bridge
N. 1 .



xPAL-01C_ALU - NG Net gym
N. 2 Vertical net with frame made of painted steel supporting a climbing net made of steel rope with nylon cover



xPAL-05B_ALU - NG Ground gym baby
N. 1 GROUND GYM BABY

xCTBR0012_ALU - NG Fantasy holding bar
N. 16 Fantasy steel holding bar L.860



xGT-06_ALU - NG Step Flower
N. 8 Polyethilene flower supported by a galvanized steel bean



xABACOU0600.O_ALU - NG Optical Panel Fantasy
N. 1 .



xP-7_ALU - NG Simple Lime Panel
N. 1 Panel made of HDPE polyethilene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xBV-6_ALU - NG Shop panels Fantasy
N. 1 Vertical panel made of polyethylene and wood shelf.



xT3_ALU - NG Simple roof Fantasy
N. 3 HDPE Polyethilene roof with stainless steel fixing bracket



xPAL-08b_ALU - NG Baby Vertical Rope Ladder
N. 1 .

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica

Copyright (C) POZZA 1865 S.r.l. - P.IVA IT02311670224 - info@pozza.it