+AF623.PS-14_ALU

PIACENZA CON PERTICA SPIRALE - FANTASY



Dimensions

Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
7,8 x 8,8 m	40.5 mq	140 cm	4,8 x 5,3 x 3,5 m	30

Characteristics

2 hdpe

stainless steel screws

use under surveillance

Age range

Da 3 a 12 anni

Materials

anodised aluminium

Made of EN EV6060 anodized alumium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm

inclusive

Manufacturer

Pozza 1865 S.R.L.

Country of manufacturing

ITALY

Plan



Area di sicurezza totale / Total safety area: 56mq
Altezza Max di Caduta / Max falling height: 1.40m

Picture



Components list



x0399_ALU - NG Closing handles
N. 4 Pair of stainless steel locking handles



xABACOU0600.O_ALU - NG Optical Panel Fantasy
N. 1 .



xABACOU0700_ALU - NG Rudder panel
N. 1 Made of polyethylene, complete with rudder.



xBV-2_ALU - NG Gear panel Fantasy
N. 1 Vertical panel made of polyethylene and wood shelf.



xBV-3_ALU - NG Galaxy panel Fantasy
N. 1 Vertical panel made of polyethylene



xBV-4_ALU - NG Activity panel Fantasy
N. 1 Made of colored polyethylene, sandwich type, with flow lanes, rotating disk and central knob



xBV-6_ALU - NG Shop panels Fantasy
N. 1 Vertical panel made of polyethylene and wood shelf.



xC2_ALU - NG Square platform, under tower
N. 2 Made of non slip material.

xG_90X90_90-190_ALU - NG Leg 90x90 from 90 190
N. 4 .



xGT-02_ALU - NG Flexible seat
N. 1 Flexible seat made of rubber with stainless steel supports



xP-2_ALU - NG Protection lateral panels with polycarbonate portholes Fantasy
N. 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



xP-7.1_ALU - NG Simple Turquoise Panel
N. 1 .



xP-7_ALU - NG Simple Lime Panel
N. 1 Panel made of HDPE polyethilene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xPAL-02_ALU - NG Linear Gym-2
N. 1 Vertical net with frame made of lamellar wood beams fixed through disappearing and passing nuts and bolts Bars realized with stainless steel tubular pegs, mounted into two lateral wooden supports Climbing cord



xPAL-12_ALU - NG Single Vertical Wall Bars
N. 2 .



xPD-5_ALU - NG Right mobile bridge
N. 1 Mobile bridge made of a painted steel frame with HDPE moving flowers as base and a rubber floor for safety



xPR_ALU - NG Fantasy Railing
N. 1 Fantasy railing in painted steel



xPS-14_ALU - NG Spiral perch h 140 cm
N. 1 Composed bystainless steel tubular, support bracket and locking handles in painted steel



xQ-9_ALU - NG Square tower without roof h90 cm
N. 1 h90 cm tower without roof made of 4 EN EV6060 anodized alumium post with custom mold 9x9cm with rounded edges, minimum thickness 2,7mm. Central platform made of HDPE polyethilene with anti slip coating and painted and anodized steel brackets. All the fixing elements made of stainless steel



xQT12-14_ALU - NG Square tower h140 cm
N. 1 .



xQT4-14_ALU - NG Square tower h140 cm Fantasy
N. 1 Composed of 4 posts having a 9 x 9 mm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof



xS-9_ALU - NG Climbing ladder h90 cm Fantasy
N. 1 made of aluminium, complete with handrails and protective panels made of polyethylene



xSCL1D-14_ALU - NG VERTICAL CLIMBING BOARD
N. 1 VERTICAL CLIMBING BOARD



xSVPX-14_ALU - NG Straight slide h140 cm Fantasy
N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



xGT-08_ALU - NG Climbing h50 cm
N. 2 Climbing between towers made of recycled material with resin climbing rocks

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica

Copyright (C) POZZA 1865 S.r.l. - P.IVA IT02311670224 - info@pozza.it