



AF104K.SVPX-14 style LEAVES RIVIERA CON SCIVOLI LEAVES



Dimensions					
	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
	1040 x 1120 cm	53 mq	180 cm	750 x 730 x 360 cm	12

Characteristics




5 anni
GARANZIA



Age range


Fino a 12 anni

Materials



Made of EN EV6060 anodized aluminium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm

Plan



Picture



Manufacturer


Pozza 1865 S.R.L.

Country of manufacturing

ITALY




Components list




LQT4-14ALU - Square tower h 140cm style leaves

NR 3 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof.




LQT4-9ALU - Square tower h 90cm style leaves

NR 1 Leaves tower h90 made of aluminum and carpenter



LSPX-14 - Stainless steel slide style Leaves h140

NR 2 Stainless steel slide with polyethylene Leaves sides




LSPX-9 - Stainless steel slide style Leaves h90

NR 1 Stainless steel slide with polyethylene leavesides




SCL1-9ALU - Pedana climbing h. 90 cm

NR 1 Pedana climbing per torretta h90 realizzata con pannello di plastica riciclata al 95% seconda vita con fori. Appigli per arrampicata in resina. Struttura portante con staffe di acciaio zincato verniciato. Barra reggisplinta lunghezza 86cm. Bulloneria ed elementi di fissaggio in acciaio inox.




TT-17poly - Polyethylene Tunnel

NR 1 Made of polyethylene provided with panels of connection to polyethylene turrets



PI-6ALU - Inclined Bridge ALU

NR 1 inclined bridge made of steel covered cord




PS-14 - Spiral perch h 140 cm

NR 2 Composed by stainless steel tubular, support bracket and locking handles in painted steel




LP-7 - Leaves panel

NR 2 Leaves Panel




P-2 - Pannelli laterali di protezione oblo'

NR 1 Realizzati in polietilene colorato e oblo' in policarbonato trasparente, completi di staffe in acciaio inox per il fissaggio alla torretta.



ABACOGT-01 - OXO Panel

NR 1 Two colored polyethylene panel with serigraphy XOX symbols, 9 half-moon rolling panels, Inox steel bolts.



ABACO U0600-S - Mirror MAGIC Panel

NR 1 Made of polyethylene, with mirror made polished stainless steel.



BV-6 - Shop panels

NR 1 Vertical panel made of polyethylene and wood shelf.




LP-20 - Panel style leaves h200

NR 2 Leaves panel



LP-5 - Panel style leaves h50

NR 4 Leaves panel



PD-10ALU - Fixed right bridge-1

NR 1 Walkway made of aluminium, with polyethylene parapets

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica

ARREDO URBANO GIOCHI PER PARCHI SCENOGRAFIE DAL 1950 ALL'AVANGUARDIA
Copyright (C) POZZA 1865 S.r.l. - P.IVA IT02311670224 - info@pozza.it

www.pozza.it