

**+AF104K.SW-19\_ALU**  
**RIVIERA - FANTASY**




Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
12,6 x 11,7 m	63.5 mq	190 cm	9,3 x 7,7 x 4 m	25	

Characteristics	hdpe	stainless steel screws	use under surveillance

Age range	Materials	Made of EN EV6060 anodized aluminium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm
Da 3 a 12 anni	anodised aluminium	

**Plan**



**Picture**



**Manufacturer**  
Pozza 1865 S.R.L.

**Country of manufacturing**  
ITALY

Area di sicurezza totale / Total safety area: 102mq  
Altezza Max di Caduta / Max falling height: 1.90m

## Components list



**xABACOU0600.O\_ALU - NG OPTICAL PANEL**  
NR 1 OPTICAL EASY PANEL MADE OF POLYTHILENE




**xBV-4\_ALU - NG Activity panel**  
NR 1 Made of colored polyethylene, sandwich type, with flow lanes, rotating disk and central knob



**xBV-6\_ALU - NG Shop panels**  
NR 1 Vertical panel made of polyethylene and wood shelf.




**xP-2.1 \_ALU - NG Porthole Themed Panel**  
NR 1 .



**xP-2\_ALU - NG Protection lateral panels with polycarbonate portholes**  
NR 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



**xPAL-04b\_ALU - NG Climbing**  
NR 1 Made with stainless steel rugs and recycled material base with resin climbing rocks



**xPI-10\_ALU - NG Fixed inclined bridge Fantasy**  
NR 1 Walkway made of impregnated wood, with polyethylene parapets



**xPI-5\_ALU - NG Inclined mobile bridge**  
NR 1 Made of impregnated wood, with laminated wood beams oscillating hanging on to the handrail with steel ropes coated



**xPR\_ALU - NG Fantasy Railing**  
NR 1 Fantasy railing in painted steel



**xQ-9\_ALU - NG Square tower without roof h90 cm**  
NR 1 h90 cm tower without roof made of 4 EN EV6060 anodized aluminium post with custom mold 9x9cm with rounded edges, minimum thickness 2,7mm. Central platform made of HDPE polyethylene with anti slip coating and painted and anodized steel brackets. All the fixing elements made of stainless steel



**xQT12-19\_ALU - NG Tower h190 with tubular roof**  
NR 1 .



**xQT4-14\_ALU - NG Square tower h140 cm Fantasy**  
N. 2 Composed of 4 posts having a 9 x 9 mm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof



**xS6-14\_ALU - NG Shroud lift h140 cm**  
NR 1 Composed by climbing net in steel rope. Included by thrust bar




**xS-9\_ALU - NG Climbing ladder h90 cm Fantasy**

NR 1 made of aluminium, complete with handrails and protective panels made of polyethylene



**xSVPX-14\_ALU - NG Straight slide h140 cm Fantasy**

NR 2 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.




**xSVPX-9\_ALU - NG Straight slide h90 cm Fantasy**

NR 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.



**xSW-19\_ALU - NG Tube-shaped slide h 190 cm diameter 80 cm**

NR 1 Polyethylene slide certified according to the existing rules; starting platform height 190 cm



**xTT-17\_ALU - NG Polyethylene Tunnel Fantasy**

NR 1 Made of polyethylene provided with panels of connection to polyethylene turrets