

+AF104.TT6-14_ALU ROMA CON TORRI TRIANGOLARI - FANTASY



Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
9,9 x 9,9 cm	0 mq	140 cm	5,8 x 5,3 x 2,8 cm	18	

Characteristics

Age range

3-12

Materials

Manufacturer


Pozza 1865 S.R.L.

Country of manufacturing

ITALY



Plan



Area di sicurezza totale / Total safety area: 58mq
Altezza Max di Caduta / Max falling height: 1.90m

Picture




Components list



xABACOU0600-N_ALU - NG Panel with numbers-1
NR 1 Made of colored polyethylene, sandwich type, with central rotating disk.



xBV-3.1_ALU - NG Globe Panel
NR 1 .




xBV-3_ALU - NG Galaxy panel
NR 1 Vertical panel made of polyethylene



xBV-7.1_ALU - NG Musical Panel
NR 1 Polyethylene music panel with Steel tubes and a rubber hammer to play music on



xBV-8_ALU - NG Football panel
NR 1 Vertical panel made of polyethylene and wood shelf.



xP-3C_ALU - NG Panels inside-out
NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



xP-3Q_ALU - NG Panels inside-out-1
NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



xP-3T_ALU - NG Panels inside-out-2
NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



xPD-6.C_ALU - NG Curved Tibetan bridge
NR 4 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections



xS11-14_ALU - NG Cloud stairs
NR 1 Cloud stairs made of caply and painted steel



xSCL1-14_ALU - NG Free-climbing inclined ramp h. 140
NR 1 H140 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainless steel



xSTI-14_ALU - NG Descending tube slide h 140 cm
NR 1 Stainless steel slide made of tubular type



xSVPX-14_ALU - NG Straight slide h140 cm Fantasy
NR 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



xTT-14_ALU - NG Triangular Tower
h140 with roof
NR 4 .

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica