



## Components list



**xABACOU0600-N\_ALU - NG Panel with numbers-1**  
NR 1 Made of colored polyethylene, sandwich type, with central rotating disk.



**xBV-3.1\_ALU - NG Globe Panel**  
NR 1 .




**xBV-3\_ALU - NG Galaxy panel**  
NR 1 Vertical panel made of polyethylene



**xBV-7.1\_ALU - NG Musical Panel**  
NR 1 Polyethylene music panel with Steel tubes and a rubber hammer to play music on



**xBV-8\_ALU - NG Football panel**  
NR 1 Vertical panel made of polyethylene and wood shelf.



**xP-3C\_ALU - NG Panels inside-out**  
NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



**xP-3Q\_ALU - NG Panels inside-out-1**  
NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



**xP-3T\_ALU - NG Panels inside-out-2**  
NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



**xPD-6.C\_ALU - NG Curved Tibetan bridge**  
N. 4 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections



**xS11-14\_ALU - NG Cloud stairs**  
NR 1 Cloud stairs made of caply and painted steel



**xSCL1-14\_ALU - NG Free-climbing inclined ramp h. 140**  
NR 1 H140 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainless steel



**xSTI-14\_ALU - NG Descending tube slide h 140 cm**  
NR 1 Stainless steel slide made of tubular type



**xSVPX-14\_ALU - NG Straight slide h140 cm Fantasy**  
NR 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



**xTT-14\_ALU - NG Triangular Tower**  
**h140 with roof**  
NR 4 .

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica