

**+AF104K\_ALU**  
**ROMA - FANTASY**



<b>Dimensions</b>		Safety area		Impact area		Falling height HIC		Physical footprint		Number of users
		10 x 11 m		51.5 mq		140 cm		6,5 x 7,5 x 3,5 m		27


<b>Characteristics</b>		hdpe		stainless steel screws		use under surveillance
------------------------	--	------	--	------------------------	--	------------------------

<b>Age range</b>	<b>Materials</b>	Made of EN EV6060 anodized aluminium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm
Da 3 a 12 anni	 anodised aluminium	



**Manufacturer**  
Pozza 1865 S.R.L.

**Country of manufacturing**  
ITALY



Area di sicurezza totale / Total safety area: 77mq  
Altezza Max di Caduta / Max falling height: 1.40m

## Components list




**xABACOU0600-N\_ALU - NG Panel with numbers-1**  
NR 1 Made of colored polyethylene, sandwich type, with central rotating disk.



**xBV-2\_ALU - NG Gear panel**  
NR 1 Vertical panel made of polyethylene and wood shelf.



**xC24\_ALU - NG Balcony**  
NR 1 Made of painted steel, provided with stainless steel brackets for fixing them to the tower.




**xP-2\_ALU - NG Protection lateral panels with polycarbonate portholes**  
NR 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



**xPAL-01C\_ALU - NG Net gym**  
NR 1 Vertical net with frame made of painted steel supporting a climbing net made of steel rope with nylon cover



**xPAL-02\_ALU - NG Linear Gym-2**  
NR 1 Vertical net with frame made of lamellar wood beams fixed through disappearing and passing nuts and bolts  
Bars realized with stainless steel tubular pegs, mounted into two lateral wooden supports  
Climbing cord



**xPI-10\_ALU - NG Fixed inclined bridge Fantasy**  
NR 1 Walkway made of impregnated wood, with polyethylene parapets



**xPI-5\_ALU - NG Inclined mobile bridge**  
NR 1 Made of impregnated wood, with laminated wood beams oscillating hanging on to the handrail with steel ropes coated



**xQT12-14\_ALU - NG Square tower h140 cm**  
NR 1 .



**xQT12-9\_ALU - NG Square tower h90 cm**  
N. 1 .



**xQT4-14\_ALU - NG Square tower h140 cm Fantasy**  
N. 1 Composed of 4 posts having a 9 x 9 mm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof



**xQT4-9\_ALU - NG Square tower h 90cm style Fantasy**  
NR 1 Composed by 4 posts having a 10 cm diameter by anodized steel, 1 square platform placed at a height of 90 cm. Coloured polyethylene gable roof



**xS10-9\_ALU - NG Steel stepladder h90 cm**  
NR 1 Composed by painted steel



**xS4-9\_ALU - NG Steel ladder h90 cm**  
NR 2 rungs made of stainless steel. Complete with steel bar




**xS6-9\_ALU - NG Shroud lift h90 cm**  
NR 1 Composed by climbing net in steel rope. Included by thrust bar



**xSCL1-14\_ALU - NG Free-climbing inclined ramp h. 140**  
NR 1 H140 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainless steel



**xSVPX-14\_ALU - NG Straight slide h140 cm Fantasy**  
NR 2 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



**xTT-17\_ALU - NG Polyethylene Tunnel Fantasy**  
NR 1 Made of polyethylene provided with panels of connection to polyethylene turrets