

### data sheet

### AF104K.PAL-05 STYLE PRIMITIV ROMA PRIMITIV CON PALESTRA SOSPESA



**Dimensions** 



Safety



Impact



Falling height HIC



Physical footprint



Number of

1150 x 1030 cm

users

39 mq

200 cm

810 x 680 x 360 cm

23

**Characteristics** 

















Age range

Fino a 12 anni

Manufacturer

### **Materials**



Made of chestnut or black locust tree, peeled, smoothed, and with a natural and colored finish.

#### Plan

12230

### **Country of manufacturing**

Pozza 1865 S.R.L.

**ITALY** 







### **Picture**





### **Components list**



# PQT4-14 - Square tower h 140 cm with roof

NR 2 Composed of 4 posts made of chestnut wood or black locust, peeled and smoothed, 1 square platform placed at a height of 140 cm. Gable roof made of chestnut wood or black locust, peeled, smoothed and colored



# PQ-9 - Square tower h 90 cm (without roof)

NR 1 Composed of 4 posts made of chestnut wood or black locust, peeled and smoothed, 1 square platform placed at a height of 90 cm.



## PQT4-9 - Square tower h 90 cm with roof

NR 1 Composed of 4 posts made of chestnut wood or black locust, peeled and smoothed, 1 square platform placed at a height of 90 cm. Gable roof made of chestnut wood or black locust, peeled, smoothed and colored



#### PS1-9 - Ramp h 90 cm

NR 1 Inclined platform, made of chestnut wood or black locust, peeled and smoothed, complete with nylon rope for climbing and thrust bar



#### PS-14 - Spiral perch h 140 cm

NR 1 Composed bystainless steel tubular, support bracket and locking handles in painted steel



#### S7-14 - Semicircle shroud h 140 cm

NR 1 Composed by climbing net in steel rope coated stainless steel with superior support



#### SVP-90 - Straight slide-3

NR 1 Polyethylene slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.



#### PPD-7 - Rope bridge

NR 1 Walkway made of chestnut wood or black locust, peeled and smoothed; with side parapets of coated steel wire ropes



#### PI-6 - Tibetan bridge

NR 1 The net is made of steel strands rope, 18 mm diameter, covered with a colored nylon braid, highly resistant. The knots are covered with shell-shape protections.



#### PAL-05 - Gym suspended

NR 1 With handhold along tubes steel. Wall stainless steel bars.



### #P4 - Protection lateral panel with

NR 1 Made of chestnut wood or black locust, peeled, smoothed and colored, with door



## PPP-2 - Protection lateral panel with door-1

NR 1 Made of chestnut wood or black locust, peeled, smoothed and colored, with door



# PPF-1 - Protection lateral panel with window

NR 2 Made of chestnut wood or black locust, peeled, smoothed and colored, with window





# PPF-2 - Protection lateral panel with window-1

NR 1 Made of chestnut wood or black locust, peeled, smoothed and colored, with window



#### PPC-1 - Protection lateral panel-1

NR 1 Made of chestnut wood or black locust, peeled and smoothed



#### PPR-1 - Protection lateral panel

NR 2 Made of chestnut wood or black locust, peeled, smoothed and colored



#### PGT-08 - Bench baby

NR 3 Made of chestnut wood or black locust, peeled and smoothed



#### PGT-07 - Bench

NR 1 Made of chestnut wood or black locust, peeled and smoothed



# PPI-4 - Passerella oscillante inclinata primitiv

NR 1 Camminamento e parapetti realizzati in legno di castagno o robinia, scortecciati, lisciati con aspetto naturale e colorati.



### SWE-14 - Spiral-shaped slide h 140 cm

NR 1 Spiral-shaped slide, 140cm high, provided with protection and safety bars placed at the starting point