


# AF301H19 SATURNO CON SCIVOLI



Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
1100 x 1510 cm	65 mq	200 cm	790 x 1120 x 430 cm	18	

Characteristics	pine wood	stainless steel screws	use under surveillance	5 anni GARANZIA	hdpe

Age range	Materials
Fino a 12 anni	Made of CAM compliant wood. 



**Manufacturer**  
Pozza 1865 S.R.L.

**Country of manufacturing**  
ITALY

Area di sicurezza / Safety area 112.5mq  
 Area di Impatto / Impact area 64.5mq  
 Altezza Max di Caduta / Max falling height 1.90m  
 Altezza di caduta / Falling height: 1400 mm (52.5mq)  
 Altezza di caduta / Falling height: 1900 mm (32mq)

## Components list



### QT4-9 - Square tower h 90 cm-1

NR 1 Manufactured with 4 posts having a 9 x 9 cm section by lamellar wood, 1 square platform placed at a height of 90 cm. Coloured polyethylene gable roof.



### QT4-14 - Square tower h 140 cm

NR 1 Manufactured with 4 posts having a 9 x 9 mm section by lamellar wood, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof.



### HT5-19 - Esagonal tower h 190 cm with roof

NR 1 Composed of 6 posts having a 9 x 9 cm section by lamellar wood, 1 esagonal platform placed at a height of 190 cm. Coloured gable roof



### C3 - Esagonal platform

NR 3 Made of non-slip material




### PI-10 - Fixed inclined bridge

NR 1 Walkway made of impregnated wood, with polyethylene parapets



### PD-10 - Fixed right bridge

NR 4 Walkway made of impregnated wood, with polyethylene parapets



### PI-5 - Inclined mobile bridge

NR 1 Made of impregnated wood, with laminated wood beams oscillating hanging on to the handrail with steel ropes coated



### S-9 - Climbing ladder h 90 cm

NR 1 made of impregnated wood, complete with handrails and protective panels made of polyethylene



### S-19 - Climbing ladder h 190 cm

NR 1 made of impregnated wood, complete with handrails and protective panels made of polyethylene



### SVP-90 - Straight slide-3

NR 1 Polyethylene slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.




### SVP-140 - Scivolo h 140 cm LLDPE

NR 1 Scivolo in polietilene realizzato secondo le normative vigenti, con partenza a 140 cm, completo di barra reggispinta e pannelli di tamponamento in polietilene.




### SW-E19 - Tube-shaped slide h 190 cm diameter 80 cm:

NR 1 Polyethylene slide certified according to the existing rules; starting platform height 190 cm;



### S6-14 - Shroud lift h 140 cm

NR 1 Composed by climbing net in steel rope. Included by thrust bar




### P-2 - Pannelli laterali di protezione oblo'

NR 3 Realizzati in polietilene colorato e oblo' in policarbonato trasparente, completi di stoffe in acciaio inox per il fissaggio alla torretta.



**P-7 - Protection lateral panels**

NR 9 Panel made of HDPE polyethylene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel




**P-3C - Panels inside-out**

NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower




**P-3Q - Panels inside-out-1**

NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower



**P-3T - Panels inside-out-2**

NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower




**ABACOGT-01 - OXO Panel**

NR 1 Two colored polyethylene panel with serigraphy XOX symbols, 9 half-moon rolling panels, Inox steel bolts.



**BV-6 - Shop panels**

NR 1 Vertical panel made of polyethylene and wood shelf.



**ABACO U0600-S - Mirror MAGIC Panel**

NR 1 Made of polyethylene, with mirror made polished stainless steel.