data sheet

+AF300H.TT-17.BV-7_ALU

SATURNO CON TUNNEL E PANNELLO MUSICALE - FANTASY



Dimensions

Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
9,9 x 7,9 m	0 mq	90 cm	6,4 x 4,9 x 2,9 m	18

Characteristics

2 hdpe

stainless steel screws

use under surveillance

Age range

Da 3 a 12 anni

Materials

anodised aluminium

Made of EN EV6060 anodized alumium 9x9cm custom mold with rounded edges, minimum thickness 2,7mm

inclusive

Manufacturer

Pozza 1865 S.R.L.

Country of manufacturing

ITALY

Plan



Area di sicurezza totale / Total safety area: 59mq
Altezza Max di Caduta / Max falling height: 0.90m

Picture



Components list



xABACOU0600-N_ALU - NG Panel with numbers-1 Fantasy
N. 1 Made of colored polyethylene, sandwich type, with central rotating disk.



xBV-11_ALU - NG Activity geometry game
NR 1 Activity geometry game made of coated steel rope and fixed to the load-bearing structure by passing through concealed bolts, two-color HDPE polyethylene engraved with activity path and figures. All hardware and fasteners in stainless steel



xBV-3.1_ALU - NG Globe Panel
NR 1 .



xBV-4_ALU - NG Activity panel Fantasy
N. 1 Made of colored polyethylene, sandwich type, with flow lanes, rotating disk and central knob



xBV-7.1_ALU - NG Musical Panel Fantasy
N. 1 Polyethilene music panel with Steel tubes and a rubber hammer to play music on



xC3_ALU - NG Esagonal platform
NR 1 Made of non-slip material

xG_90X90_00-60_ALU - NG Leg 90x90 from 00 60
N. 5 .



xGT-08_ALU - NG Climbing h50 cm
N. 1 Climbing between towers made of recycled material with resin climbing rocks



xP-2_ALU - NG Protection lateral panels with polycarbonate portholes Fantasy
N. 1 Made of polyethylene, with polycarbonate portholes, provided with stainless steel brackets for fixing them to the tower.



xP-7_ALU - NG Simple Lime Panel
N. 1 Panel made of HDPE polyethilene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xPI-5_ALU - NG Inclined mobile bridge
N. 1 Made of impregnated wood, with laminated wood beams oscillating hanging on to the handrail with steel ropes coated



xPR_ALU - NG Fantasy Railing
N. 1 Fantasy railing in painted steel



xQ-4_ALU - NG Square tower h 40 cm (without roof)
N. 1 Composed of 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 40 cm



xS12-4_ALU - NG Inclusive staircase h40 cm
N. 1 Inclusive stair h40 made of carply and aluminum



xT-9_ALU - NG Triangular tower without roof h 90cm:
N. 1 Composed of 3 posts having a pentagonal section by lamellar wood, 1 square platform placed at a height of 90 cm.



xTT-17_ALU - NG Polyethylene Tunnel Fantasy
N. 1 Made of polyethylene provided with panels of connection to polyethylene turrets



xTT-9_ALU - NG Triangular Tower h90 cm with roof
NR 1 .

METODO DI FISSAGGIO A TERRA DEI MONTANTI DEL GIOCO: Attrezzatura predisposta per fissaggio a terra mediante l'utilizzo di appositi telai metallici.

INFORMAZIONI RELATIVE ALL'ISPEZIONE: Ispezione visiva periodica - Controllo della pulizia dell'attrezzatura - Controllo degli interspazi tra terreno ed attrezzatura - Controllo della consistenza del terreno - Controllo delle fondamenta - Controllo degli spigoli - Controllo dell'eventuale mancanza di parti - Controllo dell'usura eccessiva delle parti mobili (snodi e boccole) - Controllo dell'integrità dell'intera attrezzatura. Per le aree gioco soggette ad uso intensivo o vandalismo può essere necessaria un'ispezione giornaliera. Ispezione annuale periodica: Potrebbe rendersi necessario lo smontaggio di alcune parti per la verifica

Copyright (C) POZZA 1865 S.r.l. - P.IVA IT02311670224 - info@pozza.it