

+AF301H19_L_ALU
SATURNO WITH SLIDES - LEAVES



Dimensions	Safety area	Impact area	Falling height HIC	Physical footprint	Number of users
14,3 x 11,2 m	0 mq	190 cm	10,8 x 7,7 x 0 m	45	


Characteristics

Age range

3-12

Materials

Plan



Picture



Manufacturer

Pozza 1865 S.R.L.


Country of manufacturing

ITALY



Area di sicurezza totale / Total safety area: 115.5mq
Altezza Max di Caduta / Max falling height: 1.90m

Components list




xABACOGT-01_L_ALU - NG Tic-Tac-Toe Panel Leaves

N. 1 Two colored polyethylene panel with serigraphy XOX symbols, 9 half-moon rolling panels, Inox steel bolts.



xABACOU0600-N_L_ALU - NG Numbers Panel Leaves

N. 1 .




xABACOU0600-S_L_ALU - NG Mirror Panel Leaves

N. 1 .



xBV-3.1_L_ALU - NG Globe Panel Leaves

N. 1 .



xBV-4_L_ALU - NG Helicopter Activity Panel Leaves

N. 1 Made of colored polyethylene, sandwich type, with flow lanes, rotating disk and central knob



xC3_ALU - NG Esagonal platform

NR 2 Made of non-slip material




xHT6-0_ALU - NG Hexagonal tower less roof-1

NR 1 made of 6 aluminum beams, 1 hexagonal platform and mounted at 00 cm height



xLP-5_ALU - NG Small Leaf Accessory

N. 8 Leaves panel




xP-3C_ALU - NG Panels inside-out

NR 1 Made of polyethylene shaped with a central geometric hole, provided with stainless steel brackets for fixing them to the tower




xP-7_L_ALU - NG Green Simple Panel

N. 2 Panel made of HDPE polyethylene, bi-color 86cm in width with drawing on the outer layer. all the fixing elements in Stainless steel



xPD-10_L_ALU - NG Basic Straight Bridge Leaves

N. 4 Walkway made of impregnated wood, with polyethylene parapets



xPI-12_ALU - NG CLOSED TIBETAN INCLINED TUNNEL

NR 1 TIBETAN TUNNEL MADE OF STEEL CORD COVERED BY NYLON



xPI-5_ALU - NG Inclined mobile bridge

NR 1 Made of impregnated wood, with laminated wood beams oscillating hanging on to the handrail with steel ropes coated



xQT4-14_L_ALU - NG Tower h140 with Roof Leaves

N. 1 Composed by 4 posts having a 9 x 9 cm section by aluminium, 1 square platform placed at a height of 140 cm. Coloured polyethylene gable roof.



xRH-1_ALU - NG Access ramp suitable for disabled people

NR 3 Made of impregnated lamellar wood.




xS6-14_ALU - NG Shroud lift h140 cm
NR 1 Composed by climbing net in steel rope. Included by thrust bar



xSCL1-9_ALU - NG Free-climbing inclined ramp h 90 cm
NR 1 H90 Climbing platform - Made of an HDPE panels with anti slip coating, resin climbing holds on top. Support structure made of painted and galvanized steel. All fixing elements made of stainless steel



xSVPX-14_L_ALU - NG Poly-Inox Slide h140 Leaves
N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 140 cm; provided with a transversal bar.



xSVPX-9_L_ALU - NG Poly-Inox Slide h90 Leaves
N. 1 slide with lateral sides made of polyethylene and stainless steel slide certified according to the existing rules; starting platform height 90 cm; provided with a transversal bar.